

ANNEXURE-III

Maharashtra University of Health Sciences, Nashik
Following documents need to available on web site

Trust Deed/Bylaws/Registration Certificate (Trust / Hospital (Bombay Nursing Act))

Faculty: B.Sc. Nursing

Name of College/Institute: Dr. Deepak Patil Nursing Institute, Borpadle, Kolhapur

Name of Trust/ Society	SANJEEVANI MULTIPURPOSE FOUNDATION
Registration Certificate To be uploaded on website clear and original copy	Trust/Society:- Maha/27291/Kolhapur;/F/21525/Kolhapur
	Trust Deed/Bylaws:- F21565/Ko
	Hospital Ownership Documents:- Own
	Hospital (Bombay Nursing Act):- Reg. No: 239, Renewed Date: 20/05/2022
	MPCB Certificate of Parent Hospital:- To be uploaded on web site
Hospital Type as Per Bombay Nursing Act :- Nursing Home and Maternity Home	
Hospital(Bombay Nursing Act)issuing Authority:- District Health Officer	
Hospital Bed as per Certificate:- 100	
Name of the College/Institute (As per First Affiliation letter)	: Dr. Deepak Patil Nursing Institute, Borpadle. Kolhapur
Address	: At Post: Borpadle Phata, Tal: Panhala, Dist: Kolhapur 416213
Email ID	: dr.deepakpatilni@gmail.com
Telephone/Mobile No.(s)	: 02313500614/9420269595/9527996430
Website	: www.dpni.co.in
College Code	: 152130

Hereby I declare all relevant document uploaded are clear and visible on website & are true as per my best knowledge

Any Other, Please Specify:-

Principal

**Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nobapur)**

Dean/Principal Stamp & Signature

Date:-

Chairman of LIC

Member Of LIC

Member Of LIC



नोंदणी प्रमाणपत्र

संस्था नोंदणी अधिनियम, १८६०

(१८६० चा अधिनियम २१)

नोंदणी क्रमांक मरा/२०२९१/७

सदर असे प्रगणित करण्यात येते की.

कोजिविणी मध्यपरपत्र फौंडेशन
कोठीची ली० पंहाळा, जि० कोल्हापूर

आतील तारखेस संस्था नोंदणी अधिनियम, १८६० (सन १८६० चा अधिनियम २१) अन्वये योग्यरीत्या नोंदणी करण्यात आली.

तारीख : २५/६/१० २०

रोजी माझ्या सहीनिशी दिले.



सहाय्यक संस्था निबंधक
कोल्हापूर क्षेत्र

Principal
Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

प्रतिसादी अर्ज आल्याची तारीख 07/03/2025

की भरल्याची तारीख 08/04/2025

नवकाल देणेची तारीख

U. J. No. 375/2024

परिशिष्ट - ३ 15.07.2024 कमा व. 35-69/24
25-02-2024 01/02/24

(कानू १३ (१) पहा)

पब्लिक ट्रस्ट रजिस्ट्रेशन ऑफिस येथे ठेवणेत आलेल्या रजिस्ट्रांत नोंदविलेल्या पब्लिक ट्रस्टच्या केलेल्या नोंदीतील आलेल्या बदलाबाबत अगर इष्ट अशा करावयाच्या बदलाबाबतचा करावयाचा रिपोर्ट : कार्यकारी मंडळातील बदलाबाबत.

सार्वजनिक ट्रस्टचे रजिस्ट्रेशन नंबर : एफ/२१५६५/को.

सार्वजनिक ट्रस्टचे नांव


सार्वजनिक ट्रस्टचा पत्ता

सार्वजनिक न्यास नोंदणी
कोल्हापूर विभाग

“संजीवनी मल्टीपर्पज फाँडेशन, कोडोली”
द्वारा - डॉ. श्री. दिपक आनंद पाटी, गट नं. ३५१/१,
मु. पो. बोरपाडळे फाटा (नेबापूर), कोल्हापूर - रत्नागिरी
रोड, ता. पन्हाळा, जि. कोल्हापूर

10/09

बदलाचे स्वरूप	बदलाचे कारण	शेरे
सन २०१५ ते २०२० सालातील खालील सदस्य व पदाधिकाऱ्यांची नांवे संस्थेच्या पी.टी.आर. उतान्यावरून कमी करणेत यावीत.	संस्थेच्या कार्यकारी मंडळाची मुदत संपलेने सन २०२० ते २०२५ या कालावधीकरीता नविन कार्यकारी मंडळाची निवड करणेसाठी संस्थेची दिनांक २७/०९/२०२० रोजीच्या वार्षिक सर्वसाधारण सभेत ठराव नं. ४ ने नविन कार्यकारी मंडळ सदस्य व पदाधिकारी निवडलेने.	१) विलंब माफी अर्ज २) वार्षिक सर्वसाधारण सभा नोटीस व पोच झेरॉक्स प्रत ३) वार्षिक सर्वसाधारण सभा वृत्तांत व उपस्थिती नोंद झेरॉक्स प्रत ४) सभासद यादी झेरॉक्स प्रत ५) नविन कार्यकारी मंडळाचे संमतीपत्र अस्सल प्रत ६) जुन्या कार्यकारी मंडळाचे ना- हरकत पत्र अस्सल प्रत ७) घटना प्रत व पी.टी.आर. झेरॉक्स प्रत ८) वृत्तांत सर्व ३६-४३५/२०२६ मधील निश्चय १ व अदेश ९) नविन सदस्यांची ओळखपत्रे झेरॉक्स
१) श्री. डॉ. दिपक आनंद पाटील रा. मेन रस्ता, केलें, कोल्हापूर		
२) श्री. तचिन सुभाष पाटील रा. प्राथमिक शाळा क्र. १ जवळ, नेलें, सांगली		
३) सौ. डॉ. स्वाती दिपक पाटील रा. बोरपाडळे फाटा नेबापूर, ता. पन्हाळा, जि. कोल्हापूर		
४) सौ. शितल संजय थोरात रा. थारात मळा, मलकापूर, सातारा	खजिनदार	
५) डॉ. स्मिता अशोकराव पाटील रा. जिल्हा परिषद शाळा नं. १ जवळ, मु. पो. नेलें, ता. वाळवा, जि. सांगली	सदस्या	
६) श्री. आनंदराव आवासाहेव मोरे रा. असुर्ले, पोलें तर्फ ठाणे, ता. पन्हाळा, जि. कोल्हापूर	सदन्य	
७) सौ. सुमन आनंदराव मोरे रा. असुर्ले, पोलें तर्फ ठाणे, ता. पन्हाळा, जि. कोल्हापूर	सदस्या	





वदलाचे स्वरूप	वदलाचे कारण	शेरे
सन २०२० ते २०२५ या कालावधीसाठी खालील सदस्य व पदाधिकाऱ्यांची नावे पी.टी.आर. उतान्यावर नोंद करणेत यावीत.		
१) श्री. डॉ. दिपक आनंद पाटील अध्यक्ष रा. मेन रस्ता, केलें, कोल्हापूर		
२) श्री. सचिन सुभाष पाटील उपाध्यक्ष रा. प्राथमिक शाळा क्र. १ जवळ, नेलें, सांगली		
३) सौ. डॉ. स्वाती दिपक पाटील सेक्रेटरी रा. बोसपाडळे फाटा नेबापूर, ता. पन्हाळा, जि. कोल्हापूर		
४) सौ. शितल संजय थोरात खजिनदार रा. थोरात मळा, मलकापूर, सातारा		
५) डॉ. स्मिता अशोकराव पाटील सदस्या रा. जिल्हा परिषद शाळा नं. १ जवळ, मु. पो. नेलें, ता. बोसपाडळे, जि. सांगली		
६) श्री. आनंदराव आबासाहेब मोरे सदस्य रा. असुर्ले, पोर्ले तर्फ ठाणे, ता. पन्हाळा, जि. कोल्हापूर		
७) सौ. सुमन आनंदराव मोरे सदस्या रा. असुर्ले, पोर्ले तर्फ ठाणे, ता. पन्हाळा, जि. कोल्हापूर		

Tatil
रिपोर्ट करणाऱ्या ट्रस्टीची सही

...२...

मी उपनिर्दिष्ट 'संजीवनी मल्टीपर्पज फाँडेशन, कोडोली, ता. पन्हाळा, जि. कोल्हापूर तर्फे सेक्रेटरी - सौ. डा. स्वाती दिपक पाटील, व.व. ४०, व्यवसाय - वैद्यकीय, रा. मु. पो. नेबापूर (बोरपाडळे फाटा), ता. पन्हाळा, जि. कोल्हापूर येथील रहिवाशी असून मी, प्रतिज्ञापूर्वक इकरार करते व सांगते की वरील अर्जात नमूद केलेली माहिती माझ्या उत्तम माहितीप्रमाणे व समजुती प्रमाणे खरी व बरोबर आहे.

कोल्हापूर येथे प्रतिज्ञापूर्वक इकरार केला.


उपरोक्त तारीख :- ०५ / ०९ / २०२४

सी. डा. स्वाती दिपक पाटील


मी अॅफिडेव्हीट करणार यांना मी ओळखतो.

342026595




Dr. Swatikali 1006@gmail.com


अॅड. संग्राम बी. शिके

माझ्या समक्ष


अध्यक्षक

सार्वजनिक न्यास नोंदणी कार्यालय
कोल्हापूर विभाग, कोल्हापूर



बदल अर्ज क्र. ३७५/२०२४

सहाय्यक धर्मादाय आयुक्त, कोल्हापूर विभाग, कोल्हापूर यांचेसमोर
(पिटासोन अधिकारी श्रो. शरद शिवाजी वाळके)

(महाराष्ट्र सार्वजनिक विश्वस्त व्यवस्था अधिनियम, १९५० चे कलम २२ अन्वये अर्ज)

संस्थेचे नाव :-

संजीवनी मल्टीपर्पज फौंडेशन,
कोडोली, ता. पन्हाळा, जि. कोल्हापूर
नोंदणी क्र.- एफ-२१५६५/(कोल्हापूर)

बदल अर्ज क्र. ३७५/२०२४

नि. क्र. १२

सौ. डॉ. स्वाती दिपक पाटील,
वय : ४० वर्षे, व्यवसाय : वैद्यकिय
रा.नेबापूर (बोरपाडळे फाटा), ता. पन्हाळा,
जि. कोल्हापूर

--- अर्जदार

विरुद्ध

कांणी नाही.

--- वि. प.

अर्जदारातर्फे अधिवक्ता :- अंड श्री. एस. बी. शिर्के

(न्यायनिर्णय)

(लाहीर दिनांक २१.०२.२०२५)

१. प्रस्तुत न्यासाचा कार्यकारी मंडळाचा कार्यकाल संपलेने अर्जदाराने प्रस्तुतचा बदल अर्ज दाखल केलेला आहे. अर्जदार यांनी अर्जासोबत नि. क्र. ०२ येथे दि. ०८.०९.२०२० रोजीची वार्षिक सर्वसाधारण सभेची सुचना व पोहोचची पडताळणी प्रत, नि. क्र. ०३ येथे दि. २७.०९.२०२० रोजीच्या वार्षिक सर्वसाधारण सभेचे इतिवृत्त व उपस्थितीची पडताळणी प्रत, नि. क्र. ०४ येथे सभासद यादीची पडताळणी प्रत, नि. क्र. ०५ येथे नवीन येणाऱ्या विश्वस्तांचे एकत्रित संमतीपत्र, नि. क्र. ०६ येथे कमी होणाऱ्या विश्वस्तांचे

एकत्रित ना हरकतपत्र, नि. क्र. ०७ येथे परिशिष्ट-ब व परिशिष्ट-क चा सहीशिवका नक्कल, नि. क्र. ०८ येथे न्यासाच्या पॉटीआर उताऱ्याचा सहीशिवका नक्कल, नि. क्र. १० येथे अर्जदाराचे सरतपासाचे प्रतिज्ञापत्र, नि. क्र. ११ येथे अर्जदाराचा पुरावा संपलेची पुरसिस इ. कागदपत्रे दाखल केलेली आहेत.

२. प्रस्तुत बदल अर्ज वादाचा नाही. फक्त असे असले तरी सदरचा बदल अर्ज कायदेशीर व वैध आहे किंवा नाही, हे पाहणे अत्यंत गरजेचे आहे. त्याकरिता माझेसमोर खालीलप्रमाणे प्रश्न उपस्थित होतात. त्यांचे सकारण स्पष्टीकरण व उत्तर मी खालीलप्रमाणे देत आहे.

अ. क्र.	वाद प्रश्न	निष्कर्ष
१	सदरील बदल व बदल अर्ज कायदेशीर व वैध आहे का ?	होय
२	आदेश काय?	अंतिम आदेशाप्रमाणे

कारणमिमांसा

वादप्रश्न क्र.०१ करिता :-

३. न्यासाच्या घटनेतील तरतुदीनुसार वगैर्यकारी मंडळाची निवड दर ०५ वर्षांनी लोकशाही पध्दतीने गुप्त मतदान करून सर्वसाधारण सभेमध्ये करणेची व सभेची सुचना ०८ दिवस अगोदर देणेची व एकूण सभासद संख्येच्या २/५ गणसंख्या असणेची तरतुद आहे. नि. क्र. ०८ वरील सभासद यादीनुसार न्यासाचे ११ सभासद असल्याचे दिसून येते. त्यापैकी ०४ सभासदांनी राजीनामा दिल्याचे सभासद यादीवरून दिसून येते. नि. क्र. ०९ वरील वार्षिक सर्वसाधारण सभेची सुचना व सुचना पोहोच नुसार दि. ०८.०९.२०२० रोजी ०७ सभासदांना हस्तदेय मिळालेली असल्याचे दिसून येते. नि. क्र. ०३ वरील वार्षिक सर्वसाधारण सभेचे इतिवृत्त व उपस्थिती नुसार दि. २७.०९.२०२० रोजी झालेल्या सभस ०७ सभासद उपस्थित होत व टराय क्र. ०४ अन्वये सन २०२०

ते २०२५ या कालावधीकरिता कार्यकारी मंडळ व पदाधिकारी यांची निवड करणेचा ठराव सर्वानुमते मंजूर झालेला असल्याचे दिसून येते.

४. कबूल तथ्यानुसार बदल अर्ज वादाचा नाही, अर्जदाराने नि. क्र. १० येथे पुराव्याचे शपथपत्र दाखल करून अर्जातील मजकूर व सोबतची कागदपत्रे शाबित केलेली आहेत. या सर्व तथ्यांचा एकत्रित विचार करता सदरचा बदल अर्ज कायदेशीर व वैध आहे या अनुमानास मी आलो आहे. त्यानुसार वादप्रश्न क्र.०१ होकारार्थी उत्तरी करून वादप्रश्न क्र.०२ च्या अनुषंगाने मी खालीलप्रमाणे अंतिम आदेश पारित करित आहे.

आदेश

१. सदरचा बदल अर्ज मंजूर करण्यात येत आहे.
२. या आदेशाची नोंद परिशिष्ट-१ वर घ्यावी.

दिनांक :- २१.०२.२०२५
स्थळ :- कोल्हापूर

J. J. Wale
(श. शि. वाळके) २१.२.२५

सहाय्यक धर्मादाय आयुक्त-१,
कोल्हापूर विभाग, कोल्हापूर



Dr. Deepak Patil
Principal
Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

Shantac
08/04/2025

Prepared & compared by :

प्रमाणित सत्य प्रत

Ratnamol
08.04.25
आपिषक

सार्वजनिक न्यास नोंदणी कार्यालय
कोल्हापूर विभाग, कोल्हापूर



महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

HEALTH DEPARTMENT ZILLA PARASHID KOLHAPUR

मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९

Bombay Nursing Home Act of 1949

महाराष्ट्र शुश्रूषा गृह नोंदणी नियम १९७३

Maharashtra Nursing Homes Registration Rules, 1973

महाराष्ट्र शुश्रूषागृह नोंदणी अधिनियम (सुधारित) नियम २०२१

Maharashtra Nursing Homes Registration (Amendment) Rules 2021

प्रमाणपत्र / CERTIFICATE

(मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९ च्या कलम ५ अन्वये दिलेले प्रमाणपत्र)
(Bombay Nursing Home Act of 1949 Registration Certificate issued under section 5)

Dr. Shri / Smt

Dr. Dipak Anand Patil

डॉ. श्री/श्रीमती

डॉ. दिपक आनंद पाटील

Hospital name

Sanjeevani Multispeciality Hospital

रुग्णालयाचे नांव

संजीवनी मल्टीस्पेशलिटी हॉस्पिटल

Address

Borpadale fata A/P Nebapur Taluka Panhala Dist. Kolhapur 416213

पत्ता

बोरपाडले फाटा, मु पो नेबापूर ता पन्हाळा जि. कोल्हापूर ४१६२१३

नवीन नोंदणी/नूतनीकरणासाठी बरील नर्सिंग होम/मॅटर्निटी होमची नोंदणी करण्यात आली आहे. उक्त नर्सिंग होम / मॅटर्निटी होम चालविण्यास परवानगी दिली जात आहे. Above Nursing Home/Maternity Home has been registered for new registration / renewal. Permission is being granted to operate the said Nursing Home / Maternity Home.

Registration Number : 0239

नोंदणी क्रमांक :

Maternity Beds : 0020

प्रसुती खाटा :

Registration/renew Date : 20/01/2014

नोंदणी/नूतनीकरण
दिनांक :

Nursing Beds : 0080

शुश्रूषा खाटा :

Place : kolhapur

ठिकाणी : कोल्हापूर

प्रमाणपत्र दिलेचा दिनांक/
certificate issued date :

30/06/2025



This certificate shall be valid up to 31 March 2028

हे प्रमाणपत्र ३१ मार्च २०२८ पर्यंत वैध असेल.

ANIRUDDHA Digitally signed by
NANDKUMA
R PIMPLE
Date: 2025.07.04
15:54:42 +05'30'

(DR. ANIRUDDHA PIMPLE)

District Health Officer
Zilla Parishad Kolhapur

Note - In case of false information provided by Applicant,
Registration Certificate will become null and void
and legal action will be proceeded against him.

Principal


Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022



ORANGE/L.S.I

No:- Format1.0/PSO/UAN No.0000235729/CO/2507000091

Date: 01/07/2025

To,
SANJEEVANI MULTISPECIALITY HOSPITAL
,314 1 BORPADLE PHATA, NEBAPUR, Kolhapur
-416113
Email:dr.deepakpatil9595@gmail.com
Contact No.:9420269595



LIFE
Lifestyle for
Environment
Your Service is Our Duty



लोकसेवा हक्क कायदा
Right to Public Service Act

Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000235729 dated- 10.03.2025
 2. Report of SRO- MPCB, Kolhapur dated- 21.04.2025
 3. SCN for Refusal issued on 19.05.2025
 4. Documents uploaded on 02.06.2025 and 04.06.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From 31-01-2025 To 31-01-2027
2. HCF Area : - Plot Area 4046.85 M² with Built-up area 1745.92 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 239 valid upto 31-03-2025)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 45 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	0

7. Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- You shall segregate and handover BMW to BMW T&D CTF **S.S. Services, Ichalkaranji** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.



12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Signature

Generated by: mpcb.gov.in
bca12729
aa4ee17a
a56d9e80
16958a8f
b5c635d3
3e6840f5
10246296
ed4c907a

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2025-07-01 18:35:34 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	MPCB-DR-32385	10/03/2025	NEFT
2	3551.00	TXN2505005597	26/05/2025	Online Payment
3	4931.00	MPCB-DR-33640	27/05/2025	NEFT

Remaining fees of Rs. 30,000/- is balance with Board will be considered for further renewal of CCA

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- You shall ensure BG compliance
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Signature
Principal
Dr. Deepak Patil Nursing Institut.
Borpadale Phata (Nabapur)
Tal. Panhala, Dist. Kolhapur



DATE: - 01.01.2026.

Test Certificate

{See section 3(3) and rules 4 (2)}

Certified that I /we have carried out inspection of fire prevention & Life Safety Measures installed in the following building or premises namely.
(Building Numbers, society Name & address-

Sanjeevani Multispeciality Hospital
Borpadale Phata, Kolhapur – Ratnagiri Highway,
Tal- Panhala, Dist. Kolhapur.

We further certify that these installation in the above-mentioned buildings are maintained in good repair and efficient conditions during the period ONE YEAR, as required under the provision of the Maharashtra Fire Prevention & Life Safety Measure Act, 2006(Mah-III of 2007). The detail of the inspection & maintenance of installation carried out by me/us are mentioned as below herewith.

Details of inspection & Maintenance/Serviceing

Following List of Material are installed & tested successfully.

Sr.no.	Description	Qty.	Remark
1	Fire Pump 900 LPM	01 Nos.	Ok
2	Hydrant Valve Point	04 Nos.	Ok
3	Hose Reel Drum Set	04 Nos.	Ok
4	Fire Brigade Connection 2Way	01 Nos.	Ok
5	ABC Type 06 Kg Fire Extinguisher	04 Nos.	Ok
6	Co2 Type 4.5 Kg Fire Extinguisher	01 Nos.	Ok
7	MCP	04 Nos.	Ok
8	Hooter	04 Nos.	Ok
9	Smoke Detector	10 Nos.	Ok
10	Alarm Panel 2 Zone	01 Nos.	Ok

License No: MFS/LA/RF-224.
Next Due Date: 30.06.2026.



GLOBAL PROTECTION SYSTEMS

S. Subhakar
PROPRIETOR

Dr. Deepak Patil
Principal
Dr. Deepak Patil Nursing Institut,
Borpadale Phata (Nebapur)
Tal. Panhala. Dist. Kolhapur

AR. SHIVRAJ GHATAGE & ASSOCIATES

Architect & Interior designer

'D' Ward, H.No. 1485, Uttreshwer Peth, Kolhapur, Maharashtra.
Mob.No.9960445357, E-mail:shivraj9@gmail.com

OCCPANCY CERTIFICATE To whom so ever it may concern


This is to certify that the Existing building for **Sanjeevani Multispecialty Hospital at Borpadale Phata (Nebapur), Gat No.215, Tal Panhala, Dist. Kolhapur** is completed and drawings prepared by site measurement by Architect Shivraj Ghatage and associates, Kolhapur. **Constructed area is 3395.10 Sq.M. (22,014.09 Sq.Ft.)**


The building is fit for occupancy for which it has been constructed.

Thanking You,



Sincerely,


Principal
Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal Panhala Dist. Kolhapur


Registration No.-CA/2010/49233



GOVT. OF MAHARASHTRA



Public Health Department

PRE-CONCEPTION AND PRE - NATAL DIAGNOSTIC TECHNIQUES
(PROHIBITION OF SEX SELECTION) ACT, 2003

SCHEDULE III

CERTIFICATE OF REGISTRATION

- in exercise of powers conferred under Sec. 19 (1) of Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act, 1994. (57 of 1994), the Appropriate Authority Civil surgeon Kolhapur. here by grants registration to the Genetic Counselling Center VGenetic Laboratory*/ Genetic Clinic* named below purposes of carrying out Genetic Counseling Pre-natal Diagnostic Procedures*/Pre-natal Dignostic Tests as defined in the aforesaid Act for a Period of five years ending on 18/8/2027
- This registration is granted subject to the aforesaid Act and Rules there under and any contraction thereof shall result in suspension or cancellation of this Certificate of Registration beforr the expiry of sasd period of five years

- A. Name and address of the Genetiv Counseling Center*/ Genetic Laboratory */Genetic Clinic*
Sanjeevani Multispeciality Hospital A/P Borpadale
Phata (Nebapure) Tal. Panhala, Kolhapur.
- B. Name of Applicant for registration Dr. Deepak Anand Patil
MBBS

Sr. No.	Name and Qualification of Doctors	Day / Time of Working
1.	Dr. Shubhalaxmi Shivramani NABUMI MBBS DMRE	Mon to Fri. 2.30 to 4.30 pm.
	Dr. Koustubh Patil. MBBS, DMRE	Mon. to Saturday 9 am to 5.00 pm.

C. Pre-nataldiagnostic procedures approved for (Generic Clinic),
 Ultrasound (ii) Amniocentesis (iii) Chorionic villi biopsy
 Foetoscopy
 Foetal skin or organ biopsy (vi) Cordocentesis (vii) Any other (specify)

D. Pre-natal Magnostic tests approved (for Genetic Laboratory)
 (I) Chromosomal Studies (ii) Biochemical studies (ii) Molecular studies

- Model and make of equipments being used Perquiped GA VGEU 9978 Fujitron
- Registration No. allotted 291 SN/ 212455300 ADITHA 55 43238075
- Period of validity of Registration Five Years From 19/8/2022 To 18/8/2027

Date: 19/8/22 SEAL



Signature, name and designation of the Appropriate Authority

Dr. Deepak Patil

Dr. Deepak Patil
Principal

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

Sonography Machine Registration Certificate (M.R.C.)

Sonography Machine Registration No. - **MH/291/MH/KP/0240**

1. Name of the Owner of the Centre- **Dr. Deepak Anand Patil**
2. Address- **Sanjeevani Multispecialty Hospital,
A/P- Borpadale Phata(Nebapur), Tal- Panhala, Dist.- Kolhapur.**
3. Details Of Sonography Machine – **Fujifilm Arietta 65**
 - I. Name of Manufacturing Company- **Fujifilm**
 - II. Make of the machine-**Fujifilm Arietta 65**
 - III. Model of the Machine- **Arietta 65**
 - IV. Serial No. Of the Machine -**G3238075**
 - V. Name of the Dealer- **Meditech Systems**
 - VI. Date of Purchase of the Machine- **20/06/2024**
 - VII. Name of previous owner if used machine is purchased/ of received as Donations- **NA**
 - VIII. Date of purchase from previous owner/donor- **NA**
 - IX. Status of Machine- **Working/Out of order/Condemned/ Sealed/ Working but
Unused/Other _____**

Authenticated By


Signature Of Owner

Name- **Dr. Deepak A. Patil** Authority


Dr. DEEPAK A PATIL
M.B.B.S,FCCM
(Dip. Critical Care Medicine)
Reg. No. 0642/02/2000

Signature of Appropriate

Medical Superintendent Class-1
Rural Hospital, Panhala


Principal
Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण अनुप्रयोग संरक्षा प्रभाग



Government of India
Atomic Energy Regulatory Board
Radiation Applications Safety Division

Case File Number: MH-84535-RF-XR-003

Issuance Date: 08/07/2025

Document Number: 20-LOEE-518140

Expiry Date: 08/07/2030

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of Dr. DEEPAK PATIL to operate the following medical diagnostic x-ray equipment located at SANJEEVANI MULTISPECIALITY HOSPITAL, BORPADLE PHATA KOLHAPUR RATNAGIRI HIGHWAY, TAL.PANHALA DIST.KOLHAPUR KOLHAPUR, MAHARASHTRA-416201 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Genius Medical Systems	GM 100	G-XR-131547


The OWNER AND MEDICAL PRACTITIONER, SANJEEVANI MULTISPECIALITY HOSPITAL, KOLHAPUR and DR. DEEPAK PATIL are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.


Dr. P. K. Dash Sharma
Head, RASD

DR. DEEPAK PATIL

SANJEEVANI MULTISPECIALITY HOSPITAL
BORPADLE PHATA KOLHAPUR RATNAGIRI HIGHWAY, TAL.PANHALA DIST.KOLHAPUR
KOLHAPUR, MAHARASHTRA-416201

Copy to: OWNER AND MEDICAL PRACTITIONER, SANJEEVANI MULTISPECIALITY HOSPITAL, KOLHAPUR

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656


Principal

फैक्स/Fax: 91-22-2599 0650

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal Panhala Dist Kolhapur


iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)
प्रभागाध्यक्ष, आरएसडी

DR. DEEPAK PATIL, OWNER AND MEDICAL PRACTITIONER
SANJEEVANI MULTISPECIALITY HOSPITAL
BORPADLE PHATA KOLHAPUR RATNAGIRI HIGHWAY, TAL.PANHALA DIST.KOLHAPUR
KOLHAPUR, MAHARASHTRA-416201
CC: OWNER AND MEDICAL PRACTITIONER, SANJEEVANI MULTISPECIALITY HOSPITAL, KOLHAPUR



Principal
Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

अनुबंध Appendix 1


नियम और शर्तें TERMS AND CONDITIONS

- विकिरण स्रोतों के संचालन पर प्रतिबंध Constraints on operation of radiation sources:** लाइसेंसधारक किसी भी विकिरण स्रोत (रेडियोधर्मी स्रोत और/या विकिरण उत्पन्न करने वाला उपकरण) को नहीं संभालेगा (क) लाइसेंस में विनिर्दिष्ट के अलावा; (ख) लाइसेंस में विनिर्दिष्ट के अलावा किसी अन्य उद्देश्य के लिए; और (ग) लाइसेंस में विनिर्दिष्ट के अलावा किसी भी स्थान पर। The licensee shall not handle any radiation source (Radioactive Sources and/or Radiation Generating Equipment): (a) other than those specified in the licence; (b) for any purpose other than those specified in the licence; and (c) in any location except as specified in the licence.
- उत्तरदायित्व Responsibilities:** परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में निर्दिष्ट नियोक्ता, लाइसेंसधारक, आरएसओ और श्रमिकों की जिम्मेदारियों का पालन किया जाएगा। विकिरण फैसिलिटी/गतिविधियों की सुरक्षा के लिए मुख्य जिम्मेदारी लाइसेंसधारक की होगी और नियामक संस्था द्वारा कोई भी नियामक गतिविधियां या निरीक्षण लाइसेंसधारक को सुरक्षा के लिए उसकी जिम्मेदारी से मुक्त नहीं करता है। The responsibilities of the employer, licensee, RSO and workers as specified in the Atomic Energy (Radiation Protection) Rules, 2004 shall be complied with. Prime responsibility for the safety of the radiation facility/activities shall lie with the licensee and any regulatory activities or inspections by the regulatory body does not relieve the licensee from his/her responsibility for safety.
- स्रोतों की सलामती और सुरक्षा Safety and Security of sources:** विकिरण स्रोत की सलामती और सुरक्षा हर समय अर्थात् खरीद से लेकर विकिरण स्रोत के निपटान/उपकरण के बंद होने तक सुनिश्चित की जाएगी। रेडियोधर्मी स्रोत/रेडियोधर्मी स्रोतों को रखने वाले उपकरण अस्थायी रूप से उपयोग में नहीं होने पर एक अनुमोदित और सुरक्षित भंडारण कक्ष में संग्रहीत किए जाएंगे। The safety and security of the radiation source shall be ensured at all the times i.e. from procurement up to the time of disposal of the radiation source/decommissioning of the equipment. The equipment housing the radioactive source/radioactive sources shall be stored in an approved and secured storage room when temporarily not in use.
- नियामक सिफारिशें Regulatory Recommendations:** रेडियोधर्मी स्रोतों के लिए विकिरण सुरक्षा उपायों और भौतिक सुरक्षा उपायों के संबंध में सक्षम प्राधिकारी द्वारा समय-समय पर जारी की जाने वाली सभी नियामक सिफारिशों को लागू किया जाएगा और इसका अक्षरशः पालन किया जाएगा। All the regulatory recommendations, as may be issued from time to time, by the Competent Authority in respect of radiation safety measures and physical security measures for radioactive sources shall be implemented and followed in its letter and spirit.
- अर्हताप्राप्त कार्मिक Qualified manpower:** उपकरण/स्रोतों का संचालन आईआरबी को सूचित किए गए योग्य और प्रशिक्षित विकिरण कर्मियों द्वारा किया जाएगा। Equipment/sources shall be operated by qualified and trained radiation workers as intimated to AERB.
- ले-आउट का संशोधन Modification of layout:** आईआरबी के पूर्वानुमोदन के बिना स्थापना/स्रोत भंडारण फैसिलिटी के अनुमोदित लेआउट में संशोधन, जिसमें विकिरण सुरक्षा निहितार्थ हो सकते हैं, नहीं किए जाएंगे। Modifications in the approved layout of the installation/source storage facility that may have radiation safety implications shall not be carried out without obtaining prior approval of AERB.


Principal

Dr. Deepak Fatil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

7. **विकिरण निगरानी Radiation Surveillance:** विकिरण कार्य में लगे व्यक्ति (व्यक्तियों) की विकिरण निगरानी (कार्मिक निगरानी सेवा) नियामक आवश्यकताओं के अनुसार प्रदान की जाएगी। Radiation Surveillance (personnel Monitoring Service) of person(s) engaged in radiation work shall be provided as per the regulatory requirements.
8. **आवधिक सुरक्षा स्थिति रिपोर्ट Periodic Safety Status Report:** संस्थान के पास मौजूद सभी विकिरण उपकरणों/स्रोतों की आवधिक स्थिति रिपोर्ट वर्ष में एक बार (कम से कम) एईआरबी को प्रस्तुत की जाएगी। The periodic status report of all radiation devices/sources in the possession of the institution shall be submitted (at least) once in a year to AERB.
9. **रखरखाव Maintenance:** उपकरणों का रखरखाव संबंधित एईआरबी संरक्षा कोड, गाइड और वर्तमान में लागू मानकों के अनुसार किया जाएगा। Maintenance of the equipment shall be carried out in accordance with the respective AERB safety code, guide and standards currently in force.
10. **बिक्री या स्थानांतरण Sale or transfer:** विकिरण स्रोत/डिवाइस/उपकरण/रेडियोधर्मी अपशिष्ट एईआरबी से पूर्वानुमोदन प्राप्त किए बिना किसी अन्य व्यक्ति को बेचा या अन्यथा हस्तांतरित नहीं किया जाएगा। The radiation source/device/equipment/radioactive waste shall not be sold or otherwise transferred to another person without obtaining prior approval from AERB.
11. **विकिरण स्रोतों का संचलन Movement of radiation source:** विकिरण उपकरण/स्रोतों को एईआरबी से पूर्वानुमोदन प्राप्त किए बिना, परिसर के भीतर (जब तक कि उपकरण परिसर के भीतर नियमित आवाजाही के लिए न हो) या बाहर एक स्थान से दूसरे स्थान पर नहीं ले जाया जाएगा। The radiation equipment/sources shall not be moved from one location to another, within the premises (unless the equipment is meant for routine movement within the premises) or outside, without obtaining prior approval from AERB.
12. **रेडियोधर्मी स्रोत का परिवहन Shipment of radioactive material:** रेडियोधर्मी सामग्री का परिवहन : एईआरबी से परिवहन के लिए पूर्वानुमति प्राप्त की जाएगी। यह सुनिश्चित किया जाएगा कि रेडियोधर्मी सामग्री के सुरक्षित परिवहन के लिए राष्ट्रीय/ अंतर्राष्ट्रीय विनियमों के अनुसार योग्य पैकिंग, चिह्नित और लेबलिंग किया जाता है। Prior approval for shipment shall be obtained from AERB. The package containing radioactive material is properly packed, marked and labelled and the shipment of radioactive material is in accordance with national/international regulations for safe transport of radioactive material.
13. **नियामक निरीक्षण Regulatory inspection:** विकिरण फैसिलिटी का निरीक्षण करने के लिए सक्षम प्राधिकारी के प्राधिकृत प्रतिनिधि (प्रतिनिधियों) को पूर्ण सहयोग दिया जाएगा। Full co-operation shall be accorded to authorized representative(s) of the Competent Authority to inspect radiation facility.
14. **अप्रयुक्त विकिरण स्रोतों तथा रेडियोधर्मी अपशिष्ट का प्रबंधन Management of disused radiation sources and radioactive waste:** जब कोई विकिरण स्रोत अब अधिकृत उद्देश्य के लिए उपयोग में नहीं है, या इसके उपयोगी जीवन के पूरा होने पर, उपकरण को बंद कर दिया जाएगा और रेडियोधर्मी स्रोत एईआरबी द्वारा निर्धारित प्रक्रिया के अनुसार संरक्षित प्रबंधन के लिए मूल आपूर्तिकर्ता को वापस कर दिया जाएगा। आयातित रेडियोधर्मी स्रोतों के संबंध में, उनके निर्यात के लिए एईआरबी से पूर्व अनुमति प्राप्त की जाएगी। When a radiation source is no longer in use for the authorized purpose, or upon completion of its useful life, the equipment shall be decommissioned and radioactive source shall be returned to the original supplier for safe management in accordance with the procedure laid down by AERB. In respect of imported radioactive sources, prior permission for export of the same shall be obtained from AERB.


 Principal
 Dr. Deepak Patil Nursing Institute
 Borpadale Phata (Nebapur)
 Tal. Panhala, Dist. Kolhapur

15. **असामान्य घटनाओं की रिपोर्ट Reporting of unusual occurrences:** यदि विकिरण स्रोत/उपकरण की संरक्षा और सुरक्षा से जुड़ी कोई घटना होती है, तो घटना होने के 24 घंटे के भीतर एईआरबी को इसकी सूचना दी जाएगी। स्रोत के खो जाने या चोरी होने की स्थिति में, मामले की सूचना तत्काल इलाके में उपयुक्त कानून एवं प्रवर्तन एजेंस को दी जाएगी। If an incident involving the safety of radiation equipment/device/source and security of the radiation source occurs, the same shall be intimated to AERB within 24 hours of the occurrence of the incident. In the event of loss or theft of the source, the matter shall also be promptly reported to the appropriate law enforcement agency in the locality.
16. **रेडियोधर्मी अपशिष्ट के निपटान के लिए संचालन/प्राधिकरण के लिए लाइसेंस में संशोधन Amendment of licence for operation/Authorization for disposal of radioactive waste:** इस लाइसेंस/प्राधिकरण में निहित जानकारी में कोई भी परिवर्तन, इसके जारी होने के बाद (लाइसेंसधारक, नियोक्ता, संस्थान का नाम, पता आदि के रूप में) एईआरबी को सूचित किया जाएगा और इस संबंध में इस लाइसेंस के लिए उपयुक्त आवश्यक संशोधन सक्षम प्राधिकारी, एईआरबी से प्राप्त किया जाएगा। Any change in the information contained in this licence/authorization, after its issuance (as change of licensee, employer, name of institution, address etc.), shall be intimated to the AERB and appropriate necessary amendment to this effect to this licence shall be obtained from the Competent Authority, AERB
17. **लाइसेंस के नियमों और शर्तों में संशोधन Modification of the terms and conditions of the licence:** लाइसेंस के नियमों और शर्तों को सुरक्षा के हित में सक्षम प्राधिकारी द्वारा आवश्यक समझे जाने पर संशोधित, पुनरीक्षित या सुधार किया जा सकता है। The terms and conditions, of the licence can be amended, revised or modified, as considered necessary by the Competent Authority in the interest of safety.
18. **लाइसेंस का नवीनीकरण Renewal of licence:** लाइसेंस का नवीनीकरण इसकी समाप्ति की तारीख से पहले सक्षम प्राधिकारी से प्राप्त किया जाएगा। लाइसेंस के गैर-नवीनीकरण से लाइसेंसधारक को कब्जे के तहत विकिरण स्रोतों की सलामति एवं सुरक्षा की जिम्मेदारी से तब तक मुक्त नहीं किया जाता है जब तक कि उपकरण बंद नहीं किया जाता है/और सुरक्षित प्रबंधन के लिए मूल आपूर्तिकर्ता को रेडियोधर्मी स्रोत वापस नहीं किया जाता है। एईआरबी द्वारा आवेदनों के प्रसंस्करण के लिए अग्रणी समय को ध्यान में रखते हुए लाइसेंस के नवीनीकरण के लिए आवेदन एईआरबी को समीक्षा के लिए अग्रिम रूप से प्रस्तुत किया जाएगा। लाइसेंस की समाप्ति के दो महीने पहले लाइसेंसधारक द्वारा नवीनीकरण के लिए आवेदन प्रस्तुत किया जा सकता है। Renewal of licence shall be obtained from the Competent Authority prior to its date of expiry. Non-renewal of licence does not absolve the licensee from the responsibility of safety and security of radiation sources under possession till the equipment is decommissioned /and radioactive source is returned to the original supplier for safe management. Application for renewal of this licence shall be submitted to AERB for review well in advance, taking into account the lead time for processing of the applications by AERB. Application for renewal may be submitted by the licensee two months prior to expiry of the licence.
19. **डीकमीशनन के लिए वित्तीय प्रावधान Financial provision for decommissioning:** लाइसेंसधारक यह सुनिश्चित करेगा कि एक बार उपयोग में आने के बाद विकिरण स्रोतों के सुरक्षित प्रबंधन के लिए उचित वित्तीय प्रावधानों सहित व्यवस्था की जाती है। वित्तीय प्रावधान की सीमा का निर्धारण विकिरण स्रोत के आपूर्तिकर्ता/निर्माता के परामर्श से किया जाएगा। वित्तीय प्रावधान सामान्य परिदृश्य के साथ-साथ दिवालियापन या अन्य बाधाओं का सामना करने वाली असंभावित घटनाओं को ध्यान में रखते हुए किया जाएगा। Licensee shall ensure that arrangements, including appropriate financial provisions, are made for the safe management of radiation sources, once it ceases to be in use. The extent of financial provision shall be arrived at in consultation with the supplier/manufacturer of the

Principal

radiation source. The financial provision shall be made with due consideration to normal scenario as well as unlikely events like bankruptcy or other constraints that may be encountered.

20. **अपराध और दंड Offences and Penalties:** यदि लाइसेंस/प्राधिकरण की शर्तों और अन्य निर्धारित विनियामक प्रावधानों का उल्लंघन किया जाता है तो परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 और परमाणु ऊर्जा (रेडियोधर्मी अपशिष्ट का सुरक्षित निपटान) नियम 1987 में निर्दिष्ट शर्तों के अनुसार एईआरबी द्वारा लाइसेंस/प्राधिकार को निलंबित, संशोधित या वापस लिया जा सकता है। जहां उपयुक्त समझा जाए, किए गए अपराध के विरुद्ध परमाणु ऊर्जा अधिनियम, 1962 में प्रावधान के अनुसार एईआरबी संस्था द्वारा दंडात्म कार्रवाई शुरू की जा सकती है। Licence/authorisation can be suspended, modified or withdrawn by AERB, as specified in the Atomic Energy (Radiation Protection) Rules, 2004 and Atomic Energy (Safe Disposal of Radioactive Wastes) Rules 1987 if any of the terms and conditions of the licence/authorisation and other stipulated regulatory provisions is/are contravened. Where deemed appropriate, AERB may initiate penal action against an offence committed by the institution, as provided in the Atomic Energy Act, 1962.

XXXXXXXXXXXXXXXXXXXXXXXXXX

नोट Note: प्रैक्टिस विशिष्ट आवश्यकताओं पर मार्गदर्शन के लिए कृपया ई-लोरा दिशानिर्देश और एईआरबी वेबसाइट

www.aerb.gov.in देखें। For guidance on practice specific requirements, please refer e-LORA guidelines and AERB website www.aerb.gov.in


Principal

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण अनुप्रयोग संरक्षा प्रभाग



Government of India
Atomic Energy Regulatory Board
Radiation Applications Safety Division

Case File Number: MH-84535-RF-XR-001

Issue Date: 08/07/2025

Document Number: 20-LOP-516792

Expiry Date: 08/07/2030

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of DR. DEEPAK PATIL to operate the following diagnostic radiology equipment located at BORDADLE PHATA KOLHAPUR RATNAGIRI HIGHWAY, TAL.PANHALA DIST.KOLHAPUR KOLHAPUR, MAHARASHTRA-416201 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
C-Arm	KIRAN MEDICAL SYSTEMS LIMITED,	INFINITY	G-XR-130454


The OWNER AND MEDICAL PRACTITIONER, SANJEEVANI MULTISPECIALITY HOSPITAL, KOLHAPUR and DR. DEEPAK PATIL are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.


Dr. P. K. Dash Sharma
Head, RASD

DR. DEEPAK PATIL, OWNER AND MEDICAL PRACTITIONER
SANJEEVANI MULTISPECIALITY HOSPITAL
BORDADLE PHATA KOLHAPUR RATNAGIRI HIGHWAY, TAL.PANHALA DIST.KOLHAPUR
KOLHAPUR, MAHARASHTRA-416201

CC: OWNER AND MEDICAL PRACTITIONER, SANJEEVANI MULTISPECIALITY HOSPITAL, KOLHAPUR


Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656


Principal फोनस/Fax: 91-22-2599 0650

Dr. Deepak Patil Nursing Institut.
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur