

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute: Dr. Deepak Patil Nursing Institute, Borpadle, Kolhapur
Faculty: B.Sc. Nursing


HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute/College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on website	YES	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	YES	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual : 1:3	YES	Adequate
c.	Average Bed Occupancy in %: 86% (Minimum 75%)	YES	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	N/A	
	(i) Whether OPD is functioning to be verified	YES	Adequate
	(ii) Total No of OPD (on the day of inspection)	15175	Adequate
	(iii) Average Number of patients attending OPD(current year)		Adequate
	(iv) Average Number of Delivery (Current year)	63	Adequate
	(v) Average Number of abnormal Delivery (Current year)	36	
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"&do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on website & are true as per my knowledge & Belief
Any Other, Please Specify:- _____

Date:-
Chairman of LIC

Member Of LIC


Principal
Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur
Dean/Principal Stamp & Signature
Member Of LIC



महाराष्ट्र MAHARASHTRA

2024

DB 372686

16 SEP 2025

मुद्राक विक्रेत्याचे नांव :- श्री राहुल रंगराव भोसले

श्रवसायाचा पत्ता :- कोडोली. ता. पन्हाळा.

परवाना नं. :- मु.वि.अ.६७/२००१-०२ / ता. १२/२/२००२

मुद्राक विक्री क्र. :- ७०६ कि. रु. ५०० दि. २६/९/२०२५

मुद्राक विकत घेणा-याचे नांव :-

रत्कम रुपये ५०००/-

मुद्राक विक्रेत्याची सही :- [Signature]

मुद्राक विक्रेता कोड नंबर :- २६०९०१७

मुद्राकांचे कारण :- हमीपत्र

मुद्राक विकत घेणा-याची सही :- [Signature]

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur



Sub-Treasury Office
Panhala

सहसंचालक शमयदु पात्रिक
काच्ये
लपणखळा



Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur



I undersigned Dr. Deepak anand Patil, President of Sanjeeveni Multipurpose Foundation

and Owner of Sanjeeveni Multispecialty Hospital do here by undertaking as follows:

- 1) The hospital is fully owned by me




- 2) I am holding the position of President in Sanjeevani Multipurpose Foundation
- 3) The Sanjeevani Multispecialty Hospital situated at Borpadale Phata, Tal: Panhala, Dist: Kolhapur which is 100 bedded parent hospital for Dr. Deepak Patil Nursing Institute for clinical experience of students of B.Sc. Nursing/ PB.B.Sc. Nursing
- 4) Further the hospital will not be permitted for any other nursing institute as affiliated hospital.
- 5) This parent hospital to Dr. Deepak Patil Nursing Institute Boprpadale Phata, Tal: Panhala, Dist: Kolhapur will remain permanent or till the nursing institute exists.
- 6) Whatever clinical requirements for students will be fulfilled as per curriculum from time to time as prescribed by competent authority.

SOLEMNLY affirmed before me
by **Dr Deepak Anand Patil**
Who is identified to me
by **Adhar**
Whom I personally know
This **9** day of **10** 2025


PRESIDENT

Sanjeevani Multipurpose Foundation
Borpadale Phata (Nebapur), Tal. Panhala
Dist. Kolhapur. Pin Code - 416213

BEFORE ME


9/10/2025

SAVITA BHAUSAHEB BHOSALE
Advocate & Notary
787/5K, Layout No.1, Plot No.51, Morya Niwas
Baba Jarag Nagar, Kolhapur.

Notary Regi. Sr. No. **HH7**
2025





भारत सरकार
Government of India

भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India

नोंदणी क्रमांक / Enrolment No. 4029/53042/12272

To
दीपक आनंद पाटील
Deepak Anand Patil
C/O Anand Patil
Borapadale Phata,
Borapadale,
VTC, Borpadale,
PO, Borpadale,
Sah District, Panhala,
District Kolhapur,
State Maharashtra,
PIN Code 416213,
Mobile: 7038102020



Signature Not Verified
Aadhaar number is not linked to your mobile number.
Date: 2024-12-29 10:07:11
UPI

आपला आधार क्रमांक / Your Aadhaar No. :

2345 2861 0667

VID : 9182 2067 4262 7349

माझे आधार, माझी ओळख



भारत सरकार
Government of India



Aadhaar no. issued: 21/05/2013



दीपक आनंद पाटील
Deepak Anand Patil
जन्म तारीख/DOB: 25/07/1974
पुरुष/ MALE

आधार हा ओळखीचा पुरावा आहे, नागरिकत्वा किंवा जन्मतारखेचा नाही. हे फक्त पडताळणीसाठी वापरले जावे (ऑनलाइन प्रमाणीकरण किंवा QR कोडचे स्कॅनिंग/ऑफलाईन XML).
Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML)

2345 2861 0667

माझे आधार, माझी ओळख



Government of India



माहिती / INFORMATION

- आधार हा ओळखीचा पुरावा आहे, नागरिकत्वा किंवा जन्मतारखेचा नाही. जन्मतारीख आधार क्रमांक धारकाने प्रस्तुत केलेल्या नियमांमध्ये निदिष्ट केलेल्या जन्मतारीख दस्तऐवजांच्या पुरावांद्वारे समर्थित असलेल्या माहितीवर आधारित आहे.
- हा आधार पत्राची पडताळणी UIDAI नियुक्त प्रमाणीकरण एजन्सीद्वारे ऑनलाइन प्रमाणीकरणद्वारे किंवा अॅप स्टोअरमध्ये उपलब्ध mAadhaar किंवा Aadhaar QR स्कॅनर अॅप वापरून किंवा www.uidai.gov.in वर उपलब्ध सुरक्षित QR कोड रीडर अॅप वापरून QR कोड स्कॅनिंगद्वारे सत्यापित केले जावे.
- आधार अद्वितीय आणि सुरक्षित आहे.
- ओळख आणि प्रत्याला आधार देणारी कामदपत्रे आधार नोंदणीच्या तारखेपासून दर 10 वर्षांनी आधारमध्ये अद्यतनित केली जावीत.
- आधार तुम्हाला विविध सरकारी आणि गैर-सरकारी लाभ/सेवांचा लाभ घेण्यास मदत करते.
- आधारमध्ये तुमचा मोबाईल नंबर आणि ईमेल आयडी अपडेट ठेवा.
- आधार सेवांचा लाभ घेण्यासाठी mAadhaar अॅप डाउनलोड करा.
- आधार/बायोमेट्रिक्स वापरत नसताना सुरक्षितता सुनिश्चित करण्यासाठी लॉक/अनलॉक आधार/बायोमेट्रिक्सचे वैशिष्ट्य वापरा.
- आधारची मागणी करणाऱ्या संस्थांनी समती घेणे बंधनकारक आहे.
- Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.
- This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.
- Aadhaar is unique and secure.
- Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar.
- Aadhaar helps you avail of various Government and Non-Government benefits/services.
- Keep your mobile number and email id updated in Aadhaar.
- Download mAadhaar app to avail of Aadhaar services.
- Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics.
- Entities seeking Aadhaar are obligated to seek consent.



भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India



पत्ता
माफत आनंद पाटील, बोरपाडले फाटा, बोरपाडले, बोरपाडले,
बोरपाडले, कोल्हापूर,
महाराष्ट्र - 416213

Details as on: 13/11/2024

Address:
C/O Anand Patil, Borapadale Phata,
Borapadale, Borpadale, PO Borpadale,
DIST Kolhapur,
Maharashtra - 416213



2345 2861 0667

VID : 9182 2067 4262 7349

1947 | help@uidai.gov.in | www.uidai.gov.in

Patil

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/L.S.I

Date: 01/07/2025

No:- Format1.0/PSO/UAN No.0000235729/CO/2507000091

To,
SANJEEVANI MULTISPECIALITY HOSPITAL
,314 1 BORDADLE PHATA, NEBAPUR, Kolhapur
-416113
Email:dr.deepakpatil9595@gmail.com
Contact No.:9420269595



Your Service is Our Duty

Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000235729 dated- 10.03.2025
 2. Report of SRO- MPCB, Kolhapur dated- 21.04.2025
 3. SCN for Refusal issued on 19.05.2025
 4. Documents uploaded on 02.06.2025 and 04.06.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From 31-01-2025 To 31-01-2027
2. HCF Area : - Plot Area 4046.85 M² with Built-up area 1745.92 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 239 valid upto 31-03-2025)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 45 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	0

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **S.S. Services, Ichalkaranji** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 9.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 10.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 11.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	44.00
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	29	As per clause 'C'	100% Recycle
2	Trade effluent	0.5	As per clause 'C'	100% Recycle

C. To upgrade STP / ETP of adequate capacity

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 125 KVA	Diesel	12.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	40.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	70.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	15.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	90.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
		b) Metallic body implants	0.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S.S. Services, Ichalkaranji** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
Total			2,00,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





सत्यमेव जयते



महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

HEALTH DEPARTMENT ZILLA PARASHID KOLHAPUR

मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९

Bombay Nursing Home Act of 1949

महाराष्ट्र शुश्रूषा गृह नोंदणी नियम १९७३

Maharashtra Nursing Homes Registration Rules, 1973

महाराष्ट्र शुश्रूषागृह नोंदणी अधिनियम (सुधारित) नियम २०२१

Maharashtra Nursing Homes Registration (Amendment) Rules 2021

प्रमाणपत्र / CERTIFICATE

(मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९ च्या कलम ५ अन्वये दिलेले प्रमाणपत्र)
(Bombay Nursing Home Act of 1949 Registration Certificate issued under section 5)

Dr. Shri / Smt

Dr. Dipak Anand Patil

डॉ. श्री/श्रीमती

डॉ. दिपक आनंद पाटील

Hospital name

Sanjeevani Multispeciality Hospital

रुग्णालयाचे नांव

संजीवनी मल्टीस्पेशलिटी हॉस्पिटल

Address

Borpadale fata A/P Nebapur Taluka Panhala Dist. Kolhapur 416213

पत्ता

बोरपाडले फाटा, मु पो नेबापूर ता पन्हाळा जि. कोल्हापूर ४१६२१३

नवीन नोंदणी/नूतनीकरणासाठी वरील नर्सिंग होम/मॅटर्निटी होमची नोंदणी करण्यात आली आहे. उक्त नर्सिंग होम / मॅटर्निटी होम चालविण्यास परवानगी दिली जात आहे. Above Nursing Home/Maternity Home has been registered for new registration / renewal. Permission is being granted to operate the said Nursing Home / Maternity Home.

Registration Number : 0239

नोंदणी क्रमांक :

Maternity Beds : 0020

प्रसूती खाटा :

Registration/renew Date :

नोंदणी/नूतनीकरण

20/01/2014

दिनांक :

Nursing Beds : 0080

शुश्रूषा खाटा :

Place : kolhapur

ठिकाणी : कोल्हापूर

प्रमाणपत्र दिलेचा दिनांक/

certificate issued date :

30/06/2025



This certificate shall be valid up to 31 March 2028

हे प्रमाणपत्र ३१ मार्च २०२८ पर्यंत वैध असेल.

ANIRUDDHA Digitally signed by
ANIRUDDHA
NANDKUMAR PIMPLE
Date: 2025.07.04
15:54:42 +05'30'

(DR. ANIRUDDHA PIMPLE)

District Health Officer
Zilla Parishad Kolhapur

Note - In case of false information provided by Applicant,
Registration Certificate will become null and void
and legal action will be proceeded against him.





महाराष्ट्र MAHARASHTRA

2024

12AB 680691

-2 AUG 2024

दाक विक्रेत्याचे नाव - श्री राहुल गंगारव भासल

वसवस्थान पत्ता :- कोडोली, ता पन्हाळा

क्रमांक :- मु.नं. ६७/२००५-०२/ता. १२/२/२००८

७००५ कि.रु.:- १००८ रु २३१/२००८

विकत घेणाऱ्याचे नाव :-

क्रमांक :- २००१-

दाक विक्रेत्याची सही :-

दाक विक्रेता कोड नंबर :- २६०१०१७

दाक विक्रेताचे नाव :- हमीपत्रा

दाक विकत घेणाऱ्याची सही :-

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

करिमा

रजिनीम युवराज खडके

N.P.K

रा बोराडळे

ता पन्हाळा

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur



Sub-Treasury Officer
Panhala



MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding is made and entered at Kolhapur on this day of 1st of July 2024
DR. DEEPAK PATIL NURSING INSTITUTE located at Borpadle Phata (Nebapur) Kolhapur Ratnagiri Road Tal: Panhala, Dist: Kolhapur represented by its authorized signatory, hereinafter referred to as "The Institute" for short, which expression shall, unless the counterpart otherwise admits, include its present office bearers, executors, successors and assignees) of the **FIRST PART**

MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding is made and entered at Kolhapur on this day of 1st of July 2024

DR. DEEPAK PATIL NURSING INSTITUTE located at Borpadle Phata (Nebapur) Kolhapur radhanagari Road Tal Panhala Dist Kolhapur represented by its authorized signatory, hereinafter referred to as "The Institute" for short, which expression shall, unless the counterpart otherwise admits, include its present office bearers, executors, successors and assignees) of the **FIRST PART**

AND

PRERENA HOSPITAL LTD. under the brand name 'Aster Aadhar Hospital', having its place of business at RS. No. 628, B Ward, Near Shastri Nagar, Near KMT Workshop, Kolhapur 416 012 represented by its Head Operations, **Dr. Dalon Fernandes**, hereinafter referred to as "Aster" (which expression shall, unless repugnant to the context hereof, mean and include its successors, legal representative and assigns) of the **SECOND PART**.

WHEREAS


1. The First Party is a Nursing college at Borpadale Phata. Tal: Panhala, Kolhapur
2. The First Party is desirous of availing the Internship support at the Hospital of the Second Party for internship of its nurses; hence approached the Second Party to allow their Reg BSc. Nursing/PB.B.Sc. Nursing & General Nursing and Midwifery (GNM) students of Nursing College to explore the hospital facilities at Aster Aadhar Hospital, Kolhapur unit for providing internship.
3. The First Party confirms that it will be their responsibility to have all statutory affiliation, recognition and certification from all apex bodies including the Maharashtra Nursing Council, Indian Nursing Council, State Government and legal authorities as may be required from time to time as well as recruit Tutors, Teachers and other teaching, technical and administrative staff of their own College of Nursing.
4. The Second Party has agreed to allow the Reg BSc. Nursing/PB.B.Sc. Nursing & General Nursing and Midwifery (GNM) students of Nursing School/college of the First Party to come to the hospital for internship with help of existing nursing staff of Hospital, for gaining needed internship.
5. The Principal of the College of Nursing is authorized, to sign and execute this Agreement.



6. The parties have thus entered into this Agreement on the terms as recorded hereinafter.

NOW THIS AGREEMENT WITNESSETH AS UNDER:

1. The First Party shall be responsible for procurement and maintenance of affiliation and recognition from University, State Nursing Council, Indian Nursing Council and other legal authorities including State Government as may be required from time to time: wherein the Second Party will not be responsible or will not be liable for any de-recognition of the First Party.
2. The First Party shall notify the Second Party in writing in advance, i.e. 15 days before proposed internship schedule, about the schedules, timetables and internship related activities including , etc. The Second Party will provide internship to the Students of the First Party at Aster Aadhar Hospital, Kolhapur.
3. The First Party shall be responsible to inform the Second Party in case of any changes in decisions concerning internship activities-such as change in the schedules, etc.
4. The First Party agrees to post/depute the Reg BSc. Nursing/PB.B.Sc. Nursing & General Nursing and Midwifery (GNM) students for clinical postings as per their prescribed curriculum in each academic year.
5. The Second Party agrees to permit/allow prospective students to undergo internship in all departments of the Hospital.
6. The Second Party will not be responsible for the payment of any Stipend, Incentives or compensations to the students of the First Party. The Parties hereto agrees that Reg BSc. Nursing/PB.B.Sc Nursing & General Nursing and Midwifery (GNM) students of the First Party in any way shall not be considered as staff, employee or officer of Second Party. By entering into this Agreement



AND

PRERENA HOSPITAL LTD. under the brand name 'Aster Aadhar Hospital', having its place of business at RS. No. 628, B Ward, Near Shastri Nagar, Near KMT Workshop, Kolhapur 416 012 represented by its Head Operations, **Dr. Dalon Fernandes**, hereinafter referred to as "Aster" (which expression shall, unless repugnant to the context hereof, mean and include its successors, legal representative and assigns) of the **SECOND PART**.

WHEREAS

1. The First Party is a Nursing college at Borpadale Phata, Tal: Panhala, Kolhapur
2. The First Party is desirous of availing the Internship support at the Hospital of the Second Party for internship of its nurses; hence approached the Second Party to allow their Reg BSc. Nursing & General Nursing and Midwifery (GNM) students of Nursing College to explore the hospital facilities at Aster Aadhar Hospital, Kolhapur unit for providing internship.
3. The First Party confirms that it will be their responsibility to have all statutory affiliation, recognition and certification from all apex bodies including the Maharashtra Nursing Council, Indian Nursing Council, State Government and legal authorities as may be required from time to time as well as recruit Tutors, Teachers and other teaching, technical and administrative staff of their own College of Nursing.
4. The Second Party has agreed to allow the Reg BSc. Nursing & General Nursing and Midwifery (GNM) students of Nursing School/college of the First Party to come to the hospital for internship with help of existing nursing staff of Hospital, for gaining needed internship.
5. The Principal of the College of Nursing is authorized, to sign and execute this Agreement.

6. The parties have thus entered into this Agreement on the terms as recorded hereinafter.

NOW THIS AGREEMENT WITNESSETH AS UNDER:

1. The First Party shall be responsible for procurement and maintenance of affiliation and recognition from University, State Nursing Council, Indian Nursing Council and other legal authorities including State Government as may be required from time to time: wherein the Second Party will not be responsible or will not be liable for any de-recognition of the First Party.
2. The First Party shall notify the Second Party in writing in advance, i.e. 15 days before proposed internship schedule, about the schedules, timetables and internship related activities including , etc. The Second Party will provide internship to the Students of the First Party at Aster Aadhar Hospital, Kolhapur.
3. The First Party shall be responsible to inform the Second Party in case of any changes in decisions concerning internship activities-such as change in the schedules, etc.
4. The First Party agrees to post/depute the Reg BSc. Nursing & General Nursing and Midwifery (GNM) students for clinical postings as per their prescribed curriculum in each academic year.
5. The Second Party agrees to permit/allow prospective students to undergo internship in all departments of the Hospital.
6. The Second Party will not be responsible for the payment of any Stipend, Incentives or compensations to the students of the First Party. The Parties hereto agrees that Reg BSc. Nursing & General Nursing and Midwifery (GNM) students of the First Party in any way shall not be considered as staff, employee or officer of Second Party. By entering into this Agreement



no relationship of employer and employee is deemed to be established between the Second Party and students of the First Party.

7. This agreement to create a joint venture, partnership, a principal-agent relationship or any other business organization or entity. Nothing herein shall be construed to constitute either party as the agent of the other party for any purpose whatsoever, and neither party shall bind or attempt to bind the other party to any contract or the performance of any obligation or represent to any third party that it has any right to enter into any binding obligation on the other party's behalf. Each Party shall execute its obligations or duties hereunder at its own expense without recourse to the other Party.
8. The Second Party shall be make available Hepatitis-B vaccine for the students of First Party at expenses of First Party under this agreement. The Second Party will not be responsible for any accident, hazards if any happen to the First Party's Students at the hospital site. First Party hereto agree to indemnify each other in case of any accident, hazards to the interns at hospital site.
9. The Second Party reserves its right to alter, reject or change the clinical (practical) internship timetables and schedules, to safeguard the interest of the patients, its own internship activities, programs, events etc. or without assignment of any reason whatsoever in any unforeseeable circumstances.
10. Students of the First Party shall be strictly bound to follow rules, regulation and policies enforced from time to time by the Second Party. First Party will submit the attendance record/ Physical Record of internship on monthly basis to the Second Party.
11. Both the parties accept to constitute a Steering Co-ordination Committee with due representation of Senior Academicians and Practitioners to be monitored from time to time for the clinical internship of nursing students. There would be quarterly meeting held of the Steering Co-ordination

Committee till this agreement is in force. The periodically report of the internship to be submitted to the Unit Head of the Hospital by the Committee.

12. The First Party shall appoint qualified tutor exclusively for students, who will monitor them during the internship period. He/ She will monitor attendance, internship & also take all responsibilities of students. He/ She will be present in the patient area with the students at the time of internship period going as per the shift schedule decided respectively.
13. After completion of internship, if required their evaluation would be done by the Second Party .
14. The First Party shall be responsible to provide one (1) Supervisor for one (1) batch consisting of students as agreed between the parties and shall also provide Identity Card and Uniform to their students and staff members to allow them entry into the premises of the Second Party. Provided that Second Party holds right to eject any of staff of First Party without any prior intimation.
15. The existing nursing staff of the Second Party will support student of the First Party in internship. The Staff of Second Party will cooperate fully to the students in internship. The Second Party shall not be responsible to recruit any special staff to support internship.
16. First Party will not do any such activities/ programs /claim such thing which will bring disrepute/bad name to Second Party & attached institutions.
17. The MOU will not give any right temporary or perpetual on any moveable/immovable/intellectual assets/facilities or any other objects of Second party to First party by virtue of this MOU.
18. This Memorandum of Understanding will remain in force initially for period

expire on 30-06-2027 unless renewed for a further period. Either Party may cancel /terminate this MOU without assigning any reasons by giving one (1) month notice in writing to the Other Party. Without prejudice, The Second Party reserves its right to cancel /terminate this MOU in the event it is found that First Party or any of its students have acted contrary to the obligations contained in this MOU. The decision of the Second Party in such cases shall be final.

19. This Memorandum of Understanding shall be governed by and construed in accordance with the laws of India and the courts at Kolhapur shall have exclusive jurisdiction to try and entertain the matters arising here from.

20. No modification, variation, waiver or amendment of any term & condition of this MOU shall be effective unless and until it shall be reduced to writing and signed by both the parties thereto.

21. The Parties agree that the terms and conditions of this Memorandum of Understanding are confidential and shall not be disclosed to any third party without prior written consent from the non-disclosing party, unless law requires such disclosure.


22. Any notice, request, consent, waiver or other communication required or permitted hereunder shall be effective only if it is in writing and shall be deemed duly given: -

- (i) when delivered by hand, or
- (ii) three days after being given to an express courier of repute, or
- (iii) when sent by confirmed facsimile or when sent by electronic mail addressed as

follows:

Aster Aadhar Hospital,

RS. No. 628, B Ward, Near Shastri Nagar,



Near KMT Workshop, Kolhapur 416 012

IN WITNESS, WHEREOF BOTH THE PARTIES HAVE EXECUTED THIS
MEMORANDUM OF UNDERSTANDING ON THE DATE AND PLACE
FIRST MENTIONED HEREINABOVE

For,



Aster Aadhar Hospital, Kolhapur

Dr. Dalon Fernandes

Head Operations,

Aster Aadhar Hospital,

Kolhapur

WITNESS:

Name: Mr. Mahesh D. Kundap

Signature: [Signature]

Name: Mr. Mahesh S. Baramani

Signature: [Signature]



BEFORE ME

[Signature]
18/7/2024

SAVITA BHAUSAHEB BHOSALI
Advocate & Notary
787/5K, Layout No.1, Plot No.51, Morya Niwas
Baba Jarag Nagar, Kolhapur.

Notary Regi. Sr. No.

582
2024





भारतीय विशिष्ट ओळख प्राधिकरण

भारत सरकार

Unique Identification Authority of India

Government of India

नोंदविण्याचा क्रमांक / Enrollment No.: 0635/10222/13702

To
नूरजहाँन ईस्माईल पटेल
Noorjahan Ismail Patel
W/O Ismail Patel
KALE PLOT NO 475
NEAR LUBANA STORERS RAMAMATA NAGAR
Sangli
Sangli
Sangli
Maharashtra


01/03/2012

183435336

416416
9325315270



ME834353366FH



आपला आधार क्रमांक / Your Aadhaar No. :

5043 1512 2792

माझे आधार, माझी ओळख




भारत सरकार

Government of India



नूरजहाँन ईस्माईल पटेल
Noorjahan Ismail Patel
जन्म तारीख / DOB : 15/06/1964
स्त्री / Female



5043 1512 2792

Patel

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I
No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000115982/CO/2212001122

Date: 15/12/2022

To,
Aster Aadhar Hospital (Prerana Hospital),
R.S. No. 628, A Ward, Near KMT Workshop, Shastri
Nagar, Tal. Karveer, Dist. Kolhapur.



Your Service is Our Duty

Sub: Grant of 1st Combined Consent to Operate & BMW Authorization for expansion and amalgamation of existing combine consent & BMW Authorization.

- Ref:**
1. Existing Combined Consent and Bio-Medical Authorization granted by the Board vide dtd. 14.07.2021, valid up to 30.11.2025.
 2. Combined Consent to Establish and Bio-Medical Authorization for expansion granted by the Board vide dtd. 17.07.2021.
 3. Your Application UAN No. 0000115982 dtd. 23.09.2021.
 4. Minutes of 10th Consent Appraisal Committee meeting held on 25.02.2022.

Combined Consent to Operate and BMW Authorization.

For: grant of 1st Combined Consent to Operate & BMW Authorization for expansion and amalgamation of existing combine consent & BMW Authorization under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Bio-Medical Waste Management Rules, 2016 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Operate and BMW authorization is granted upto: 30.11.2025**
2. **The capital investment of the project is Rs.10.41 Crs. (As per C.A Certificate submitted by industry Existing C.I. is of Rs. 63.4 Crs + Expansion/ increase in C.I. Rs. 10.41 Crs = 73.81 Crs).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	250	Nos
b)	Total Plot Area	5900.00	Sq.Mtrs
c)	Total Built up Area	8297.38	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	5	As per Schedule - I	After disinfection, partially treated effluent is sent to STP for further treatment & disposal
2.	Domestic effluent	57	As per Schedule - I	Treated effluent shall be 60% recycled for Secondary purposes, applied on land for gardening and remaining discharged into Sewerage system provided by Local body

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Sets (4 x 400 KVA)	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	5.1	100	Ltr/A	Recycle	Sale to authorised party

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	110	Kg/M	Drying	Used as a manure
2	Dry Waste	75	Kg/Day	Recycle	Sale to Auth. Party/ Vendor
3	Wet Waste	200	Kg/Day	OWC followed by Composting facility	Used as manure

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDf:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	155.00	Yellow colored non-chlorinated plastic bags or containers	CBMTSDF
		b) Soiled Waste	260.00		
		c) Chemical Liquid Waste	180.00		
		d) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	220.00		
		e) Microbiology Biotechnology and other clinical laboratory waste	110.00		
2	Red	Contaminated waste (Recyclable)	7300.00	Red colored non chlorinated plastic bags or containers	CBMWTSDf

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
3	White (Translucent)	Waste sharps including Metals	180.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDf
4	Blue	a) Glassware	1500.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDf
		b) Metallic body implants	466.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?.

- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. PP shall comply with CPCB Guidelines for Handling, Treatment and Disposal of Waste Generated during Treatment/ Diagnosis/ Quarantine of COVID-19 Patients.
 14. This Consent is issued with the overriding effect on earlier Combined Consent and Bio-Medical Authorization granted by the Board vide No. Format 1.0/ CAC/ UAN No. 0000098900/ CR-2107000790 dtd. 14.07.2021. .
 15. HCE shall submit/extend the BGs as per BG regime.
 16. This Consent is issued pursuant to the decision of 10th Consent Appraisal Committee meeting held on 25.02.2022.

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



313e07e1
8e6fa9a7
55600462
293f4c9f
a81d1751
79ead0b7
7314bbb0
247dd54b

Signed by: Dr. Y.B.Sontakke
Joint Director(WPC) & InCharge Of CAC-Cell
For and on behalf of,
Maharashtra Pollution Control Board
cac-cell@mpcb.gov.in
2022-12-15 19:00:11 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	MPCB-DR-8065	23/09/2021	RTGS
2	37500.00	TXN2212001789	13/12/2022	Online Payment
3	15000.00	TXN2110002678	28/10/2021	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC Desk- for record & website updating purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided primary treatment comprising of collection tank (5 CMD) for disinfection of 5 CMD trade effluent from Laboratory & Operation Theatre by treating with Sodium Hypochlorite Solution.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	100 mg/l

- C] The partially treated trade effluent after disinfection sent to STP for further treatment & disposal. In no case, sewage shall find its way outside hospital premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 60 CMD with MBBR technology for the treatment of 57 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent, applied on land for gardening within premise and excess, if any, shall be discharged into Sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	66.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	10.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.47
S-2	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.47
S-3	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.47
S-4	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.68

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25,000
2	To maintain records of BMW material delivered to CBMWTSDf	Continuous	25,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.

Form - IV
(See rule 13)
Bio Medical Waste Annual Return for the Calender Year - 2022

Application Type: HCF	Calender Year 2022	Submit To SRO-Kolhapur
Member of CBMWTF: Yes		
Type of Health Care Facility Bedded		
1) Particulars		
i) First Name Dr Ulhas	ii) Middle Name Bhalchandra	iii) Last Name Damale
iv) Designation Managing Director	v) Aadhaar No 713080159591	vi) PAN No AEZPD1493D
vii) Address as per Aadhaar Card plot No 20 Layout No 732/2 OM Banglow, Near Nale Colony, Sambhaji Nagar, Kalamba. Kolhapur. Pin: 416007	viii) Tel. No. 9225068500	ix) Fax No.
x) e-mail drulhas.damale@asterhospital.com	xi) URL of website www.asterhospital.in	
2) Details of Health Care Facility		
i) Name of the HCF Aster Aadhar Hospital Prerana Hospital Limited	ii) Email ayesha.raut@asterhospital.com	iii) Name of the contact person Ayesha Samir Raut
iv) Contact No. 9225068403		
3) Address of the Health Care Facility		
i) Building Name/Building No./Survey Number Aster Aadhar Hospital, R.S.no 628	ii) Street / Village Near KMT work Shop	iii) City / Taluka Karveer
iv) District Kolhapur	v) Pin-Code Number 416012	vi) Near by Landmark
vii) Latitude coordinate 16.700	viii) Longitude coordinate 74.2433	ix) Ownership Private
4) Details of valid Combined Consent and BMW Authorization (CCA)		
i) CCA / Authorization No. Format 1.0/CAC/UAN NO.0000115982/CO/2212001122	ii) Valid Upto Nov 30 2025 12:00:00:AM	
5) Total No of Beds (As per valid Authorization)		250
6) Registration Number (e.g. Bombay Nursing Home reg. no., MSDC, MBTC)		214
7) Registration Expiry Date		Mar 31 2025 12:00:00:AM
8) Faculty of Medicine 1		
9) Details of membership of common bio-medical waste treatment facility (CBMWTF) No		

10) Details of BMW**i) Authorized Bio Medical Waste Quantity Kg/month (as per valid CCA)**

Yellow 925.00000	Red 7300.00000	Blue 1966.00000	White 180.00000
-------------------------	-----------------------	------------------------	------------------------

ii) Bio Medical Waste Generated (Kg/Month)

Yellow 2800.00000	Red 1239.00000	Blue 77.00000	White 12.50000
--------------------------	-----------------------	----------------------	-----------------------

iii) Quantity of Biomedical waste given to CBMWTDF (kg/Month)

Yellow 2800.0000	Red 1239.0000	Blue 77.0000	White 12.5000
-------------------------	----------------------	---------------------	----------------------

10.(a) General Solid Waste (kg/Month) 5000.0000**11) Details trainings conducted on BMW****i) Number of trainings conducted on BMW Management.**

35

ii) Number of personnel trained

195

iii) Number of personnel trained at the time of induction

90

iv) number of personnel not undergone any training so far**v) whether standard manual for training is available?**

Yes

vi) any other information

NO

12) Details of the accident occurred during the year**i) Number of Accidents occurred**

19

ii) Number of the persons affected

19

iii) Remedial Action taken (Please attach details if any)

Yes

iv) Any Fatality occurred, If yes details.

No

13) Details of Liquid waste generated and treatment methods (STP and ETP)

i) STP	No	Capacity (CMD)
ii) ETP	No	Capacity (CMD)

14) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?

Yes

15) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose

No

Place Kolhapur	Designation Sr.Manager Administration	Date 12-01-2023
--------------------------	---	---------------------------

KOLHAPUR MUNICIPAL CORPORATION



(Health Department)

FORM 'C'



(See Rule 5)

**Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act 1949**

CERTIFICATE

No. 214

This is to Certify that Shri./Smt. DR. ULHAS BHALCHANDRA DAMALE

*has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of ASTER
AADHAR HOSPITAL (PRERANA HOSPITAL LTD) situated at R.S.NO.628 B WARD NEAR
GOMATI NALA SHASTRI NAGAR KOLHAPUR and has been authorized to carry on the said
nursing home.*

Registration No. : 214

Date of Registration : 19-Nov-1998

Place : Kolhapur

Date of issue of Certificate : 21-May-2025

This Certificate of registration shall be valid up to 31-Mar-2028

The name of DR. ULHAS BHALCHANDRA DAMALE

Maternity beds	Other beds	Total beds
20	230	250

Local Supervising Authority

Kolhapur Municipal Corporation

Kolhapur.



Gomn

Dr. Prakash Pawara

Medical Officer of Health

Kolhapur Municipal Corporation

(Signature of the registering authority.)



महाराष्ट्र MAHARASHTRA

2023

90AA 299799

14 JUN 2024

मुद्रांक विक्रेत्याचे नाव - श्री राहुल रंगराव भोसले

व्यवसायाचा पत्ता :- कोडोली, ता. पन्हाळा.

परवाना क्र.:- मु.वि.अ. ६७/२००१-०२/ता. १२/२/२००१

मुद्रांक किं. ३४६० कि. नं. १००० दि. २९/६/२०२४

मुद्रांक विकत घेणाऱ्याचे नाव :-

एकूण रुपये :- ५००

मुद्रांक विक्रेत्याची सही :- *[Signature]*

मुद्रांक विक्रेता कोड नंबर :- २६०१०१७

मुद्रांकाचे कारण: *[Signature]*

मुद्रांक विकत घेणाऱ्याचे नाव :-

N.Y.K

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur



Sub-Treasury Office
Panhala

[Signature]
शिवशिव गुरुवराज शिंदे
* वीरपांडवे
ता. पन्हाळा



MOU

Organization Name	Institutions Name
Athaayu Multispecialty Hospital Kolhapur	Dr. Deepak Patil Nursing Institute (Sanjeevani Multipurpose Foundation), Borpadale, Tal: Panhala, Dist: Kolhapur




INTRODUCTION :

Athayu Multispeciality Hospital Kolhapur is a 150 bedded Multispecialty Hospital in Kolhapur.

Contract Details:

1. Athayu Multispeciality Hospital Kolhapur will be used as the affiliated Hospital for the practical experience of the B.Sc. Nursing/PB B.Sc Nursing Students of Dr. Deepak Patil Nursing Institute, Borpadale Kolhapur (Sanjeevani Multi -Purpose foundation) for sending practical experience of students, will be decided by both the institutions.
2. In case of any negligence or mishaps, Athayu Hospital, may withdraw the affiliation services.
3. Transport arrangement will be made by the Dr. Deepak Patil Nursing Institute. All the Necessary information required by MUHS, MNC, INC or Any other competent authority will be given to Dr. Deepak Patil Nursing by the Hospital for further communication.
4. Once student's internship & Course is completed Athayu hospital is not bound to absorb the intern staff as staff nurse at Athayu hospital Kolhapur.
5. During the period of agreement if any candidate (Nursing Staff) found guilty of consistent nursing negligence's or behavioural disturbances and not following the nursing




INTRODUCTION:

Athaayu Hospital is a 150 bedded **Multispecialty** Hospital Kolhapur

Contract Details:

1. **Athaayu Hospital Kolhapur** will be used as the affiliated Hospital for the clinical practical experience of the B.Sc. Nursing Students of Sanjeevani Multi Purpose foundation's Dr. Deepak Patil Nursing Institute Borapadale Kolhapur for sending practical experience & Internship of students which will be decided by both the institutions.
2. In case of any negligence or mishaps **Athaayu Hospital** may withdraw the services.
3. Transport arrangement will be made by the Dr. Deepak Patil Nursing Institute. All the Necessary information required by MUHS, MNC, INC will be given to Dr. Deepak Patil Nursing Institute by the Hospital for further communication & during inspection of the Institute.
4. Once the internship is completed **Athaayu Hospital** is not bound to absorb the intern staff as a staff nurse at **Athaayu Hospital Kolhapur**.
5. During the period of agreement if any candidate (Nursing Staff) found guilty of consistent nursing negligence's or behavioural disturbances and not following the nursing



conducts given by the hospital management he/she will have to face the managerial actions.

6. **Athaayu Hospital** will not take the responsibility of food by residence for candidates coming for internship at **Athaayu Hospital** Kolhapur.

7. This MOU is for the purpose of Training of Students of Sanjeevani Multi-purpose Foundation's Dr. Deepak Patil Nursing Institute Borpadale with **Athaayu Hospital** for clinical practice of Nurses.

8. This MOU is Valid up to 5 Years i.e. from 18/07/2024

Authorized Signatory on behalf of **Athaayu Hospital** Kolhapur

Name: *Dr. Basavraj Kadalage*

Designation: *Chief Executive Officer (CEO)*

Basavraj

Seal **Dr. Basavraj Kadalage**
Chief Executive Officer (CEO)
Athaayu Multispeciality Hospitals Ltd.

Date: *18/07/2024*




Authorized Signatory on behalf of Dr. Deepak Patil Nursing
Institute (Sanjeevani Multi-Purpose Foundation)

Name: Dr. Deepak Patil

Designation: Chairman

President
Sanjivani Multipurpose Foundation
Kodoli, Tal. Panhala, Dist. Kolhapur



Seal:

Date: 18/07/2024



BEFORE ME

S. Kommal
18/7/2024

SAVITA BHAUSAHEB BHOSALE
Advocate & Notary

78715K, Layout No.1, Plot No.51, Morya Niwas
Baba Jarag Nagar, Kolhapur

Notary Regi. Sr. No.

583
2024



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I

Date: 28/05/2024

No:- Format1.0/CC/UAN No.0000194200/CO/2405002546

To,
M/s. ATHAAYU MULTISPECIALITY HOSPITALS LIMITED.
S. No. 44/1, At Post Ujalaiwadi, National Highway No.4,
Taluka Karvir, Dist. Kolhapur - 416004.
Email: financemanager@athaayuhospital.com
Contact No.:9175759696



Your Service is Our Duty

Combined Renewal of Consent with amalgamation of 1st consent to operate for 150 Beds and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board for 106 Beds vide No. Format1.0/BO/PSO/HOD-1912000473 valid upto 19.01.2024 dated. 09.12.2019.
 2. Combine Consent to Establish for increase in bed nos. (106 to150) and Bio-Medical Waste Authorization granted by the Board vide No. Format1.0/CC/UAN No.0000141369/CE/2301001560 dtd. 18.01.2023.
 3. Your application for Combine Consent and Bio-Medical Waste Authorization dated 16/01/2024
 4. This office e-mail on 27/02/2024.
 5. Document uploaded on 08/03/2024.
 6. Minutes of 2nd Consent Committee Meeting held on 29/04/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent with amalgamation of 1st consent to operate for 150 Beds and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **19-01-2024 To 19-01-2027**
2. The capital investment of the HCF is **₹1150.24** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 10768.00 M² with Built-up area 7132.20 M².

4. Activities Included

a. Total Number of Beds : 150 Nos.

- | | |
|--------------------------------|-----------------------------|
| I. General Beds : 28 Nos | II. ICU/ICU Beds : 62 Nos |
| III. Operation Theatre : 4 Nos | IV. Maternity Beds : 10 Nos |
| V. Oncology Beds : 15 Nos | |
| VI. Other Beds : 31 Nos | |

b. Restaurant/Cafeteria/Canteen Area 137.50 Sq mtr.

c. Pathology Lab Average Sample/day:- 60.00 Nos.

d. Medical Store(s):- 1.00 Nos.

5. Conditions under the Water (P&CP) Act, 1974:-

- Quantity of total water consumption shall not exceed 22.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

- You shall use the fuel for DG set as specified in the Annexure-II.
- You shall provide adequate emission control system to DG set as specified in Annexure-II.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		-	As per Actual	--NA--	-

8. Conditions about Non Hazardous Wastes:-

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Dry Waste	15	Kg/Day	-	Send to Local body
2	STP Sludge	200	Kg/M	-	Use as manure

9. Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

10. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.

2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. You shall Extend the Bank Guarantee of Rs. 2.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount and revocation of this CCA without further notice.
19. You shall submit the Bank Guarantee of Rs. 1.00 Lakh towards installation of ETP for treatment of waste water generated from Canteen, Laboratory & OT wash within Six months period from the issuance of this CCA.



Avinash

3a4f92a2
f4ca6921
f7164e4b
4aa0f5ef
86f4f303
6820b197
f8215e57
d9591054

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2024-05-28 22:17:03 IST

20. As per FO process remark HCE has provided storage area for BMW, hence BG of Rs. 50,000/- is eligible for release imposed towards separate storage area for BMW as per CPCB guidelines.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	TXN2401003162	16/01/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- Regional Officer, MPCB Kolhapur is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
SRO - Kolhapur is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	21.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	19	As per clause 'C'	50% recycle for flushing in toilet and 50% in Municipal Sewer Line
2	Trade effluent	1.0	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D.G. SET (160 KVA)	Diesel	40.00 Ltr/Hr.	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.

b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.

d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

f. D.G. Set shall be operated only in case of power failure.

g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	739.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	445.00		
		d) Expired or Discarded Medicines	105.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	95.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	35.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1418.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	47.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	300.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	29.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
2	Performance		
1	To provide Effluent Treatment Plant	Six Month	100,000.00
Total			2,50,000.00


Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.



14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

HEALTH DEPARTMENT ZILLA PARASHID KOLHAPUR

मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९

Bombay Nursing Home Act of 1949

महाराष्ट्र शुश्रूषा गृह नोंदणी नियम १९७३

Maharashtra Nursing Homes Registration Rules, 1973

महाराष्ट्र शुश्रूषागृह नोंदणी अधिनियम (सुधारित) नियम २०२१

Maharashtra Nursing Homes Registration (Amendment) Rules 2021

प्रमाणपत्र / CERTIFICATE

(मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९ च्या कलम ५ अन्वये दिलेले प्रमाणपत्र)
(Bombay Nursing Home Act of 1949 Registration Certificate issued under section 5)

Dr. Shri / Smt

CHAIRMAN - SHRI ANANT JAGDISH SARNAIK

डॉ. श्री/श्रीमती

अध्यक्ष - श्री अनंत जगदिश सरनाईक

Hospital name

ATHAAYU MULTI SPECIALITY HOSPITAL

रुग्णालयाचे नांव

अथायु मल्टीस्पेशलिटी हॉस्पिटल

Address

44/1 A/P Ujlaiwadi Tal. Karvir Dist. Kolhapur State- Maharashtra

पत्ता

४४/१, मु पो उजळाईवाडी ता. करवीर जि. कोल्हापूर राज्य महाराष्ट्र

नवीन नोंदणी/नूतनीकरणसाठी वरील नर्सिंग होम/मॅटर्निटी होमची नोंदणी करण्यात आली आहे. उक्त नर्सिंग होम / मॅटर्निटी होम चालविण्यास परवानगी दिली जात आहे. Above Nursing Home/Maternity Home has been registered for new registration / renewal. Permission is being granted to operate the said Nursing Home / Maternity Home.

Registration Number : 0158
नोंदणी क्रमांक :

Maternity Beds : 0010
प्रसूती खाटा :

Registration Date : 06/05/2009
नोंदणी दिनांक :

Nursing Beds : 0140
शुश्रूषा खाटा :

Place : kolhapur

ठिकाणी : कोल्हापूर

Registration /Renewal Date : 01/08/2024
नोंदणी/नूतनीकरण दिनांक



This certificate shall be valid up to 31 March 2027

हे प्रमाणपत्र ३१ मार्च २०२७ पर्यंत वैध असेल.

Signed by

Aniruddha Nandkumar Pimple

Date: 30-01-2025 15:11:02

(DR. ANIRUDDHA PIMPLE)

District Health Officer
Zilla Parishad Kolhapur

Note - In case of false information provided by Applicant,
Registration Certificate will become null and void
and legal action will be proceeded against him.




INTRODUCTION :

WIINS (Western India Institute of Neurosciences) Hospital Kolhapur is a bedded Multispecialty Hospital in Kolhapur.

Contract Details:

1. WIINS Hospital Kolhapur will be used as the affiliated Hospital for the practical experience of the B.Sc. Nursing/PB B.Sc Nursing Students of Dr. Deepak Patil Nursing Institute, Borpadale Kolhapur (Sanjeevani Multi -Purpose foundation) for sending practical experience of students, will be decided by both the institutions.
2. In case of any negligence or mishaps, WIINS Hospital, may withdraw the affiliation services.
3. Transport arrangement will be made by the Dr. Deepak Patil Nursing Institute. All the Necessary information required by MUHS, MNC, INC or Any other competent authority will be given to Dr. Deepak Patil Nursing by the Hospital for further communication.
4. Once student's internship & Course is completed the hospital can retain students as a staff nurse if students wants to join the reputed hospital without prior permission of the college.
5. During the period of agreement:
i.e (01/04/2025 to 01/04/2030) if any candidate (Nursing Staff) found guilty of consistent nursing negligence's or behavioural disturbances and not following the nursing conducts given by the hospital management he/she will have to face the managerial actions.



6. This MOU is for the purpose of Training of Students of Dr. Deepak Patil Nursing Institute (Sanjeevani Multi-purpose foundation) at WIINS Hospital Kolhapur.

WIINS will not be giving any stipend during training.

WIINS Hospital Kolhapur

Name: Dr. Sujata Prabhu. *Sujata*

Designation: Director/President



Patil

Dr. Deepak Patil Nursing Institute
Borpadale, Kolhapur
PRESIDENT
SANJEEVANI MULTIPURPOSE FOUNDATION
Borpadale, Tal. Panhala, Dist. Kolhapur

Name: Dr. Deepak Patil
Designation: President



SOLEMNLY affirmed before me
by *Deepak Anand Patil*
Who is identified before me
by *Aadhav*
Whom I personally know
This *04* day of *01* 20*25*

BEFORE ME

Aamrao

CAVITA BHAUSKALB BHOSAL
Advocate & Notary
67/5K, Layout No. 1, Plot No. 51, Morya Niwas
Bahir, Jawar Nagar, Kolhapur
Notary Regl. Sr. No. 312
04/07/2025





भारत सरकार
Government of India

भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India

नोंदणी क्रमांक / Enrolment No.: 4029/53042/12272

To
दीपक आनंद पाटील
Deepak Anand Patil
C/O: Anand Patil,
Borapadale Phata,
Borapadale,
VTC: Borpadale,
PO: Borpadale,
Sub District: Panhala,
District: Kolhapur,
State: Maharashtra,
PIN Code: 416213,
Mobile: 7038102020



Signature Not Verified
Digitally signed by Unique
Identification Authority of India
on
Date: 2024.10.19 15:27:51
GMT+05:30

आपला आधार क्रमांक / Your Aadhaar No.:

2345 2861 0667

VID : 9182 2067 4262 7349

माझे आधार, माझी ओळख



भारत सरकार
Government of India

Aadhaar no. issued: 23/09/2013



दीपक आनंद पाटील
Deepak Anand Patil
जन्म तारीख/DOB: 25/07/1974
पुरुष/ MALE

आधार हा ओळखीचा पुरावा आहे, नागरिकत्व किंवा जन्मतारखेचा नाही.
हे फक्त पडताळणीसाठी वापरले जावे (ऑनलाइन प्रमाणीकरण किंवा QR कोडचे
स्कॅनिंग/ ऑफलाईन XML)
Aadhaar is proof of identity, not of citizenship
or date of birth. It should be used with verification (online
authentication, or scanning of QR code / offline XML).

2345 2861 0667

माझे आधार, माझी ओळख



Government of India



AADHAAR


माहिती / INFORMATION

- आधार हा ओळखीचा पुरावा आहे, नागरिकत्वाचा किंवा जन्मतारखेचा नाही. जन्मतारीख आधार क्रमांक धारकाने प्रस्तुत केलेल्या नियमामध्ये निर्दिष्ट केलेल्या जन्मतारीख दस्तऐवजाच्या पुराव्याद्वारे समर्थित असलेल्या माहितीवर आधारित आहे.
- हा आधार पत्राची पडताळणी UIDAI-नियुक्त प्रमाणीकरण एजन्सीद्वारे ऑनलाइन प्रमाणीकरणद्वारे किंवा ॲप स्टोरमध्ये उपलब्ध mAadhaar किंवा Aadhaar QR स्कॅनर ॲप वापरून किंवा www.uidai.gov.in वर उपलब्ध सुरक्षित QR कोड रीडर ॲप वापरून QR कोड स्कॅनिंगद्वारे सत्यापित केले जावे.
- आधार अद्वितीय आणि सुरक्षित आहे.
- ओळख आणि पत्त्याला आधार देणारी कागदपत्रे आधार नोंदणीच्या तारखेपासून दर 10 वर्षांनी आधारमध्ये अद्यतनित केली जावीत.
- आधार तुम्हाला विविध सरकारी आणि गैर-सरकारी लाभ/सेवांचा लाभ घेण्यास मदत करते.
- आधारमध्ये तुमचा मोबाईल नंबर आणि ईमेल आयडी अपडेट ठेवा.
- आधार सेवांचा लाभ घेण्यासाठी mAadhaar ॲप डाउनलोड करा.
- आधार/बायोमेट्रिक्स वापरत नसताना सुरक्षितता सुनिश्चित करण्यासाठी लॉक/अनलॉक आधार/बायोमेट्रिक्सचे वैशिष्ट्य वापरा.
- आधारची मागणी करणाऱ्या संस्थांनी संमती घेणे बंधनकारक आहे.
- Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.
- This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.
- Aadhaar is unique and secure.
- Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar.
- Aadhaar helps you avail of various Government and Non-Government benefits/services.
- Keep your mobile number and email id updated in Aadhaar.
- Download mAadhaar app to avail of Aadhaar services.
- Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics.
- Entities seeking Aadhaar are obligated to seek consent.

भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India



पत्ता:
दीपक आनंद पाटील, बोरपाडले फाटा, बोरपाडले, बोरपाडले,
बोरपाडले, कोल्हापूर,
महाराष्ट्र - 416213
Address:
C/O: Anand Patil, Borapadale Phata,
Borapadale, Borapadale, PO Borapadale,
DIST: Kolhapur,
Maharashtra - 416213



2345 2861 0667

VID : 9182 2067 4262 7349

1947 | help@uidai.gov.in | www.uidai.gov.in

KOLHAPUR MUNICIPAL CORPORATION



(Health Department)

FORM 'C'



(See Rule 5)
Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act, 1949

CERTIFICATE

No. 409

This is to Certify that Shri. / Smt. **DR. SANTOSH KAMLESH PRABHU & DR. SUJATA SANTOSH PRABHU** has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of **WESTERN INDIA INSTITUTE OF NEUROSCIENCES (WIINS)** situated at **183/1 B NEAR WONDER 11 BUILDING BAWADA ROAD NAGALA PARK KOLHAPUR** and has been

Registration No. : 409
Date of Registration : 27-May-2015
Place : Kolhapur
Date of issue of Certificate : 23-Oct-2023

This Certificate of registration shall be valid up to 31-Mar-2026

The name of **DR. SANTOSH KAMLESH PRABHU & DR. SUJATA SANTOSH PRABHU**

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.

(Signature)
23-10-23

Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/M.S.I

No:- Format1.0/PSO/UAN No.MPCB-
CONSENT-0000206346/CO/2407000394

Date:
03/07/2024

To,
Western India Institute of Neurosciences
183/1,183/1 B Bavada Road, Nagala Park
Karvir,
Kolhapur-416002
Email:wiins_kpr@rediffmail.com
Contact No.:9423637804



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/PSO/UAN No.0000114770/CR/2202000642
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/05/2024
 3. Information called through mail dated 23/06/2024.
 4. Your Reply dtd. 24/06/2024,29/06/2024 , 01/07/2024 & 02/07/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **27-05-2024** To **27-05-2026**
2. The capital investment of the HCF is **₹4953** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 8500.32 M² with Built-up area 5282.43 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 409 valid upto 31-03-2026)
 - I. General Beds : **48 Nos**
 - II. ICCU/ICU Beds : **28 Nos**
 - III. Operation Theatre : **3 Nos**
 - IV. Other Beds : **21 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 32 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	NA	As per Actual	MT/M	use as manure

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Any violation of applicable Environmental enactments, Rules, CPCB guidelines, and conditions of this CCA may attract revocation of this CCA without further notice.
18. The hospital has uploaded the receipt of payment of JVS outstanding RS.2360/-. SRO Kolhapur you are directed to verify the JVS outstanding payment paid by Hospital on 24/06/2024.
19. You uploaded a Bank Guarantee (BG) of Rs. 2.00 Lakh as per the previous Consent to Operate (CCA) on 13/06/2024. However, according to the Board Circular dated 29/02/2024, a 12% interest amounting to Rs. 54,312/- has been adjusted from the paid fee due to the non-submission of the BG of Rs. 2.00 Lakh within the stipulated period as per the previous CCA.
20. You shall extend and submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Nonsubmission of B.G. in specified time shall attract 12% interest on BG amount as per Boards Circular dated 29/02/2024.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



[Handwritten Signature]

aa958b05
dbd10014
88e6b15c
fb01fb40
3e3d03c9
4edf1935
38d4388f
12f8de12

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2024-07-03 12:28:02 IST

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psob@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/M.S.I
No:- Format1.0/PSO/UAN No.MPCB-
CONSENT-0000206346/CO/2407000394

Date:
03/07/2024

To,
Western India Institute of Neurosciences
183/1,183/1 B Bavada Road, Nagala Park
Karvir,
Kolhapur-416002
Email:wiins_kpr@rediffmail.com
Contact No.:9423637804



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/PSO/UAN No.0000114770/CR/2202000642
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/05/2024
 3. Information called through mail dated 23/06/2024.
 4. Your Reply dtd. 24/06/2024,29/06/2024 , 01/07/2024 & 02/07/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **27-05-2024 To 27-05-2026**
2. The capital investment of the HCF is **₹4953** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 8500.32 M² with Built-up area 5282.43 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 409 valid upto 31-03-2026)
 - I. General Beds : **48 Nos**
 - II. ICU/ICU Beds : **28 Nos**
 - III. Operation Theatre : **3 Nos**
 - IV. Other Beds : **21 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 32 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	NA	As per Actual	MT/M	use as manure

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Any violation of applicable Environmental enactments, Rules, CPCB guidelines, and conditions of this CCA may attract revocation of this CCA without further notice.
18. The hospital has uploaded the receipt of payment of JVS outstanding RS.2360/-. SRO Kolhapur you are directed to verify the JVS outstanding payment paid by Hospital on 24/06/2024.
19. You uploaded a Bank Guarantee (BG) of Rs. 2.00 Lakh as per the previous Consent to Operate (CCA) on 13/06/2024. However, according to the Board Circular dated 29/02/2024, a 12% interest amounting to Rs. 54,312/- has been adjusted from the paid fee due to the non-submission of the BG of Rs. 2.00 Lakh within the stipulated period as per the previous CCA.
20. You shall extend and submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Nonsubmission of B.G. in specified time shall attract 12% interest on BG amount as per Boards Circular dated 29/02/2024.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Generated by eSign@MPCB
aa958b05
dbd10014
88e6b15c
fb01fb40
3e3d03c9
4edf1935
38d4388f
12f8de12

Signed by: **Dr. Vishwajeet Ramesh Thakur**
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2024-07-03 12:28:02 IST



महाराष्ट्र MAHARASHTRA

2024

CV 049660

25 MAR 2025

मुद्राक विक्रेत्याची नांव :- श्री राहुल रंगराव भोसले

व्यवसायाचा पत्ता :- कोडोली, ता. पन्हाळा.

परवाना क्र. :- गु.वि.अ. 63 / 2001-02 / अ. 12/2/2002

मुद्राक विक्री क्र. :- 269 कि. रु. - 500/- दि. 10/3/2024

मुद्राक विकत घेणा-याचे नांव :-

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

रा.कम रुपये :- 500x3

मुद्राक विक्रेत्याची सही :- *[Signature]*

मुद्राक विक्रेता कोड नंबर :- 2601017

मुद्राकांचे कारण :- करार

मुद्राक विकत घेणा-याची सही :- *[Signature]*




Sub-Treasury Office
Panhala



निमिष युवराज शकडे

रा बोरपडले

ता पन्हाळा



Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

Organization Name	Institutions Name
Masai Hospital Lugadi Lane Infront of Mahanagarpalika Kolhapur	Dr. Deepak Patil Nursing Institute (Sanjeevani Multipurpose Foundation), Borpadle, Tal: Panhala, Dist: Kolhapur

INTRODUCTION :

Masai Hospital is a 100 bedded paediatric Hospital in Kolhapur.

Contract Details:

1. Masai Children's Hospital will be used as the affiliated Hospital for the practical experience of the B.Sc. Nursing/ PB.B.Sc. Nursing Students of Dr. Deepak Patil Nursing Institute, Borpadale Kolhapur (Sanjeevani Multi -Purpose foundation) for sending practical experience of students will be decided by both the institutions.
2. In case of any negligence or mishaps, Masai Hospital, may withdraw the services.
3. Transport arrangement will be made by the Dr. Deepak Patil Nursing Institute. All the Necessary information required by MUHS, MNC, INC or Any other competent authority will be given to Dr. Deepak Patil Nursing by the Hospital for further communication.
4. Once the internship is completed at Masai Hospital, The hospital will not retain students as a staff nurse without prior permission of college.
5. During the period of agreement:
 - i.e (01/04/2025 to 01/04/2030) if any candidate (Nursing Staff) found guilty of consistent nursing negligence's or behavioural disturbances and not following the nursing conducts given by the hospital management he/she will have to face the managerial actions.

6. Masai Hospital kolhapur will not take the responsibility of food & residence for candidates coming for Practical Experience.

7. This MOU id for the purpose of Training of Students of Dr. Deepak Patil Nursing Institute (Sanjeevani Multi-purpose foundation) with Masai paediatric hospital Kolhapur for paediatric clinical Training of Nurses.

Masai Hospital Kolhapur.

Name: Dr. Uday Patil

Designation: Director/President

Patil

Dr. UDAY PATIL
MDDCH
Reg. No. 63676



Patil

Dr. Deepak Patil Nursing Institute

Borpadale, Kolhapur

Name: Dr. Deepak Patil

Designation: President



BEFORE ME

Savita
7/7/2025

SOLEMNLY affirmed before me
by Deepak Anand patil
Who is identified before me
by Adhar
Whom I personally know
This 7 day of 7 2025



SAVITA BHAUSAHEB BHOSALE
Advocate & Notary
87/5K, Layout No.1, Plot No.51, Morya Niwas,
Baba Jarag Nagar, Kolhapur.

Notary Regi. Sr. No. 314
2025




भारत सरकार
Government of India

भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India

नोंदणी क्रमांक / Enrolment No.: 4029/53042/12272

To
दीपक अनंद पाटील
Deepak Anand Patil
C/O: Anand Patil,
Borapadale Phata,
Borapadale,
VTC: Borpadale,
PO: Borpadale,
Sub District: Panhala,
District: Kolhapur,
State: Maharashtra,
PIN Code: 416213,
Mobile: 7038102020



Signature Not Verified
Digitally signed by Deepak Anand Patil
DN: cn=Deepak Anand Patil, o=UIDAI, email=deepak.patil@uidai.gov.in

आपला आधार क्रमांक / Your Aadhaar No. :

2345 2861 0667

VID : 9182 2067 4262 7349

माझे आधार, माझी ओळख



भारत सरकार
Government of India



दीपक अनंद पाटील
Deepak Anand Patil
जन्म तारीख/DOB: 25/07/1974
पुरुष/ MALE

आधार हा ओळखीचा पुरावा आहे, नागरिकत्वा किंवा जन्मतारखेचा नाही. हे फक्त पडताळणीसाठी वापरले जावे (ऑनलाइन प्रमाणीकरण किंवा QR कोडचे स्कॅनिंग/ ऑफलाईन XML).
Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).

2345 2861 0667

माझे आधार, माझी ओळख



Government of India



माहिती / INFORMATION

- आधार हा ओळखीचा पुरावा आहे, नागरिकत्वा किंवा जन्मतारखेचा नाही. जन्मतारीख आधार क्रमांक धारकाने प्रस्तुत केलेल्या नियमामध्ये निर्दिष्ट केलेल्या जन्मतारीख दस्तऐवजाच्या पुराव्याद्वारे समर्थित असलेल्या माहितीवर आधारित आहे.
- हा आधार पत्राची पडताळणी UIDAI-नियुक्त प्रमाणीकरण एजन्सीद्वारे ऑनलाइन प्रमाणीकरणाद्वारे किंवा ॲप स्टोअरमध्ये उपलब्ध mAadhaar किंवा Aadhaar QR स्कॅनर ॲप वापरून किंवा www.uidai.gov.in वर उपलब्ध सुरक्षित QR कोड रीडर ॲप वापरून QR कोड स्कॅनिंगद्वारे सत्यापित केले जावे.
- आधार अद्वितीय आणि सुरक्षित आहे.
- ओळख आणि पत्त्याला आधार देणारी कागदपत्रे आधार नोंदणीच्या तारखेपासून दर 10 वर्षांनी आधारमध्ये अद्यतनित केली जावीत.
- आधार तुम्हाला विविध सरकारी आणि गैर-सरकारी लाभ/सेवांचा लाभ घेण्यास मदत करते.
- आधारमध्ये तुमचा मोबाईल नंबर आणि ईमेल आयडी अपडेट ठेवा.
- आधार सेवांचा लाभ घेण्यासाठी mAadhaar ॲप डाउनलोड करा.
- आधार/बायोमेट्रिक्स वापरत नसताना सुरक्षितता सुनिश्चित करण्यासाठी लॉक/अनलॉक आधार/बायोमेट्रिक्सचे वैशिष्ट्य वापरा.
- आधारची मागणी करणाऱ्या संस्थांनी संमती घेणे बंधनकारक आहे.
- Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.
- This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.
- Aadhaar is unique and secure.
- Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar.
- Aadhaar helps you avail of various Government and Non-Government benefits/services.
- Keep your mobile number and email id updated in Aadhaar.
- Download mAadhaar app to avail of Aadhaar services.
- Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics.
- Entities seeking Aadhaar are obligated to seek consent.




भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India



पत्ता:
माफत, अनंद पाटील, बोरपाडले फाटा, बोरपाडले, बोरपाडले,
बोरपाडले, कोल्हापूर,
महाराष्ट्र - 416213

Address:
C/O Anand Patil, Borapadale Phata,
Borapadale, Borapadale, PO: Borpadale,
DIST Kolhapur,
Maharashtra - 416213



2345 2861 0667

VID : 9182 2067 4262 7349

1947 | help@uidai.gov.in | www.uidai.gov.in

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

Date: 29/05/2023

No:- Format1.0/CC/UAN No.0000147085/CO/2305002213

To,
M/s. MASAI CHILDREN'S HOSPITAL
1st and 2nd Floor, Shree Safalya Appt., 'C' Ward,
Lugadi Lane,
Somvar Peth, Kolhapur-416002,

Email: masaihospital@rediffmail.com
Contact No.: 9975373356



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Bio-Medical Waste Authorization granted by the Board vide no.RO-KOLHAPUR/BMW_AUTH/2108000513/2021 dated 26.08.2021
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/09/2022
 3. Minutes of 24th CC meeting held on 22.12.2022
 4. SCN for refusal for CCA issued on 17.01.2023
 5. Your reply submitted vide letter dated 25.01.2023
 6. Minutes of 36th CC meeting held on 20.03.2023
 7. Your reply submitted vide letter dated 24.04.2023, 25.05.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Consent 1st operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-06-2022 To 31-05-2027**
2. The capital investment of the HCF is **₹661.41** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1275.90 M² with Built-up area 3654.07 M².
4. **Activities Included**
 - a. Total Number of Beds : **103 Nos.** (As per BNH certificate no. 202 valid upto 31-03-2025)

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall submit revised BNH registration copy with incorporation of bed number within a period of three months.
18. You shall submit the bank guarantee of INR 1.50 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



Generated by eSignBlock
 9f7e2c12
 757d2635
 343589d0
 4b1a5c34
 baa6fec3
 612f96ec
 68958ee5
 eeel668b

Signed by: Dr. Amar R. Supate
 Principal Scientific Officer
 For and on behalf of,
 Maharashtra Pollution Control Board
 pso@mpcb.gov.in
 2023-05-29 16:26:54 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	MPCB-DR-14098	15/09/2022	NEFT
2	25000.00	MPCB-DR-14097	15/09/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
 - - They are directed to ensure the compliance of the consent conditions.
 SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	18	As per clause 'C'	Partly on land for gardening and rest for flushing.
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG SET	Diesel	5.00 Ltr/Hr	11.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	40.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	30.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act, 1947

CERTIFICATE

No. 202

This is to Certify that Shri. / Smt. *DR. UDAY SARTERAO PATIL* has been
registered under the Bombay Nursing Homes Registration Act 1949. in respect of
MASAI CHILDRENS HOSPITAL situated at *1837 C LUGDI LANE*
SOMWAR PETH KOLHAPUR and has been authorised to carry on the said
nursing home.

Registration No. : 202
Date of Registration : 15-Apr-1998
Place : Kolhapur
Date of issue of Certificate : 31-May-2022

This Certificate of registration shall be valid up to 31-Mar-2026

The name of *DR. UDAY SARTERAO
PATIL*

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.

[Signature]
Medical Officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)



महाराष्ट्र MAHARASHTRA

2023

90AA 299796

मुद्रांक विक्रेत्याचे नाव - श्री राहुल रंगराव भासल

व्यवसायाचा पत्ता :- कोडोली, ता. पन्हाळा.

परवाना क्र.: - मु.वि.अ. १७/२००९-०२/ता. १२/३/२००९

मुद्रांक किंमत - ३४६० कि. - १०० रु. २९/६/२०२४

मुद्रांक विकत घेणाऱ्याचे नाव -

रक्कम रुपये - ५००

मुद्रांक विक्रेत्याची सही :- [Signature]

मुद्रांक विक्रेता कांड नंबर :- २६०१०९१०

मुद्रांकाचे कारण :- [Text]

मुद्रांक विक्रेत्याचे पत्ता :-

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur



Sub-Treasury Officer
Panhala

14 JUN 2024

गिम्पिन युवराज शिंदे

श. वेरवाडे

N.4.K


MOU

Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

Organization Name
Swastik Hospital
Near Nashte Lawn
Kolhapur

Institutions Name

Dr. Deepak Patil Nursing
Institute
(Sanjeevani Multipurpose
Foundation), Borpadle,
Tal: Panhala, Dist: Kolhapur



INTRODUCTION:

Swastik Hospital is a 50 bedded psychiatric Hospital Kolhapur

Contract Details:

1. **Swastik Hospital** will be used as the affiliated Hospital for the daily practical experience of the B.Sc. Nursing Students of Dr. Deepak Patil Nursing Institute (Sanjeevani Multi - Purpose foundation) for sending practical experience of students will be decided by both the institutions.
2. In case of any negligence or mishaps **Swastik Hospital** Hospital may withdraw the services.
3. Transport arrangement will be made by the Dr. Deepak Patil Nursing Institute. All the Necessary information required by MUHS, MNC, INC will be given to Dr. Deepak Patil Nursing Institute by the Hospital for further communication.
4. Once the internship is completed **Swastik Hospital** is not bound to absorb the intern staff as a staff nurse at **Swastik Hospital**
5. During the period of agreement if any candidate (Nursing Staff) found guilty of consistent nursing negligence's or behavioural disturbances and not following the nursing conducts given by the hospital management he/she will have to face the managerial actions.




6. **Swastik Hospital** will not take the responsibility of food by residence for candidates coming for internship at Apple Saraswati Multispeciality Hospital.
7. This MOU is for the purpose of Training of Students of Dr. Deepak Patil Nursing Institute (Sanjeevani Multi-purpose foundation) with **Swastik Hospital** for daily Practical Training of Nurses.
8. This MOU is Valid up to 5 Years i.e. from 24/06/2024

Authorized Signatory on behalf of **Swastik Hospital**


Name: Dr. P.M. Chougale

Designation: Director

Seal


Dr. P. M. CHOUGALE
M.D. (Psych.) D.P.M. (Bom.)
143 A/12, E, SWASTIK HOSPITAL
Near Mahavir Garden, Assembly Road,
KOLHAPUR - 416 001 Ph. 0231-2658835

Date: 25 June 2024
Kolhapur



Authorized Signatory on behalf of Dr. Deepak Patil Nursing Institute (Sanjeevani Multi-Purpose Foundation)

Name: Dr. Deepak Patil Nursing Institute

Designation: Chairman

President
Sanjivani Multipurpose Foundation
Kodoli, Tal. Panhala, Dist. Kolhapur

Seal:



Date: 25 June 2024
Kolhapur



BEFORE ME

S. Kammas
25/6/2024

SAVITA BHUSAHEB BHOSALE
Advocate & Notary
787/5K, Layout No.1, Plot No.51, Morya Niwas,
Baba Jarag Nagar, Kolhapur.

Notary Regi. Sr. No. 501/2024





**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)**

Form-F

[See rule 66]

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Parisnath Monappa Chaugule

**Address: - Swastik Psychiatric Hospital, 143, A/2, Near Mahavir Garden,
Assembly Road, Kolhapur**

No of beds:- 50


Permanent Registration Certificate No.64/2023

The Permanent registration certificate No 64/2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 27/10/2023

**Dr. Swapnil Lale
Chief Executive Officer,
State Mental Health
Authority, Mumbai
Seal of the Registration Authority**


**Registration Authority
(MSMHA)**

Certificate No. : 115/2020



Certificate

This is to state that Dr. Parshwanath M. Chougale

Name of the health care establishment

Swastik Hospital

Availing our common treatment facility for

Bio-Medical Waste handling and disposal

since **16/10/2020**. The number of beds registered with us is **50 Beds**.

This certificate remains valid up to **31/03/2026**

[Subject to compliance of the (Bio-Medical waste Management and handling)

Rules 1998 and its amendments]



Issued on. **31/03/2025** Authorised Signatory

All Certificate valid unless the date remain correct



R. S. No. 206, S.S. No. 29, 'E' Ward, Kasaha Baweda, Near Drainage Plant, Behind Circuit House, Kolhapur-416 003
Mobile : 99701 69017, 93711 06621, 93229 70440

Bio-Medical
Waste
Treatment



महाराष्ट्र MAHARASHTRA

2024

CU 998028

मुद्रांक विक्रेत्याचे नांव :- श्री राहुल रंगराव भोसले
व्यवसायाचा पत्ता :- कोडोली, ता. पन्हाळा.

सल्लागक क्र. :- मु.वि.ज.६७/२००१-०२ / दि. १२/२/२००२
मुद्रांक विक्री क्र. 93LEL कि. रु. - 500/- दि. ३१/१/२०२५



24 JAN 2025

Sub-Treasury Officer
Panhala

मुद्रांक विक्रत घेणा-याचे नांव :- Dr. Deepak Patil Nursing Institute
बोर्पादले फाटा (नेबापुर)
ता. पन्हाळा, जिल्हा कोल्हापूर

रक्कम रुपये :- 500/-

मुद्रांक विक्रेत्याची सही :- *राहुल* करिमा
जिल्ले नितीन युवराज खडके

मुद्रांक विक्री कोड नंबर :- २६०९०१७

मुद्रांकाचे कारण :- हमीपत्र

मुद्रांक विक्रत घेणा-याची सही :-

N.Y.K

रा बोर्पादले
ला पन्हाळा



Dr. Deepak Patil Nursing Institute
Borpadale Phata (Nebapur)
Tal. Panhala, Dist. Kolhapur

Organization Name	Institutions Name
Nirmal Hospital, De-Addiction & Rehabilitation Centre, Miraj	Dr. Deepak Patil Nursing Institute (Sanjeevani Multipurpose Foundation), Borpadle, Tal: Panhala, Dist: Kolhapur



INTRODUCTION :

Nirmal Hospital, De-Addiction & Rehabilitation Centre, Miraj is a 20 bedded Psychiatric Hospital in Miraj.

Contract Details:

1. Nirmal Hospital, De-Addiction & Rehabilitation Centre will be used as the affiliated Hospital for the practical experience of the B.Sc. Nursing Students of Dr. Deepak Patil Nursing Institute, Borpadale Kolhapur (Sanjeevani Multi -Purpose foundation) for sending practical experience of students will be decided by both the institutions.
2. In case of any negligence or mishaps, Nirmal Hospital, De-Addiction & Rehabilitation Centre may withdraw the services.
3. Transport arrangement will be made by the Dr. Deepak Patil Nursing Institute. All the Necessary information required by MUHS, MNC, INC or Any other competent authority will be given to Dr. Deepak Patil Nursing by the Hospital for further communication.
4. Once the internship is completed Nirmal Hospital, De-Addiction & Rehabilitation Centre is not bound to absorb the intern staff as a staff nurse at Nirmal Hospital Miraj.
5. During the period of agreement:
i.e (01/02/2025 to 01/02/2030) if any candidate (Nursing Staff) found guilty of consistent nursing negligence's or behavioural disturbances and not following the nursing

conducts given by the hospital management he/she will have to face the managerial actions.

6. Nirmal Hospital Miraj will take the responsibility of food & residence for candidates coming for Practical Experience at Nirmal Hospital Miraj.

7. This MOU is for the purpose of Training of Students of Dr. Deepak Patil Nursing Institute (Sanjeevani Multi-purpose foundation) with Nirmal Hospital, De-Addiction & Rehabilitation Centre, Miraj for Psychiatric Practical Training of Nurses.

Nirmal Hospital, De-Addiction &
Rehabilitation Centre, Miraj.

Name: Dr. Chandrashekhar Halingale

Designation: Director

For Nirmal Neuropsychiatry and Deaddiction Centre



Proprietor

Dr. Deepak Patil Nursing Institute
Borpadale, Kolhapur

Name: Dr. Swati Patil

Designation: Secretary


Secretary

Sanjeevani Multipurpose Foundation
Kodoli, Tal. Panhala, Dist. Kolhapur

BEFORE ME


5/2/2025

SAVITA BHAUSAHEB BHOSALE
Advocate & Notary

787/5K, Layout No.1, Plot No.51, Morya Niwas
Baba Jarag Nagar, Kolhapur.

Notary Regi. Sr. No.

188
2025





**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)**

Form-F

[See rule 66]

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Chandrashekhar Halingale

Address: - Nirmal Neuropsychiatry Center, Station road, Near Pujari Hospital,
Miraj, Dist. Sangli

No of beds: - 20

Permanent Registration Certificate No. 87/2024

The Permanent registration certificate No. 87/2024 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 11/01/2024

Dr. Swapnil Lale
Chief Executive Officer
State Mental Health
Authority, Mumbai

Seal of the Registration Authority


Registration Authority
(MSMHA)

- Quantity of total water consumption shall not exceed 7 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees / deemed fee on top priority after communication from the MPCB Office.
18. Hospital Authority shall operate the Effluent / Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
19. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Biomedical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Biomedical waste Annual report without fail.



Awatade

3161b5e1
0af32f8c
78ce7122
d91115bf
7d6ba538
8924f063
6782f086
504abf66

Signed by: Shri. Navanath Sambhaji Awatade
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
srosanghi@mpcb.gov.in
2024-03-13 18:19:02 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2307004353	31/07/2023	Online Payment
2	19206.00	TXN2403002670	13/03/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.00	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	6.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	22.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	27.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Center Treatment Facility Pvt Ltd, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



SURYA CENTER TREATMENT FACILITY PVT. LTD.


BIO MEDICAL WASTE DISPOSAL PLANT




CST.NO. 79,79A, 80 ARWADE MILL, BALAJI MILL ROAD, NORTH SHIVAJI NAGAR, SANGLI 416416

Tel. No.: 8411811005 Mob: 9823184999. GSTIN - 27ABJCS9911R1ZC

MPCB Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

Registration Certificate

Certificate # : SC20252605570

Date: 10-04-2025

This is to certify that **Nirmal Neurosychiatric Centre (Unit I), Near Shree Hospital,, Station Road, Miraj., Miraj City, Tal. : Miraj, Dist. :Sangli, Pin: 416410** is registered with **Surya Center Treatment Facility Pvt. Ltd. Sangli** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelineds.

1	Authorized Person of HCE (Name and Designation)	:	Dr. Chandrashekhar Appasaheb Halingale. Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	:	- Not Applicable-Being Psychiatric Hospital,instead of Bombay Nursing,certificate issued by CEO State Mental Health Authority Mumbai permanent registration certificate no.87/2024 11-01-2024 20 Not Available
3	Common Treatment Facility Reistration Details Date of Registration No. of Beds Registered Registration Validity	:	- 01-04-2025 20 31-03-2026
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	:	- 31-03-2026 20
5	MPCB Consent (Establish/ 1st Operate/Renewal) Details Concent / CCA Number Issue Date Validity Upto	:	- Format1.0/SRO/UAN N.0000173554/CO/2403001239 13-03-2024 31-05-2025
-	Remarks:		



Meghna Rajeev Kore

Authorized Signature

Name: Meghna Kore

Designation: Director